



PoolCop

Always. Better. Blue.



CATALOGUE 2026

PCFR PoolCop



Our Vision

To bring smart, sustainable and innovative solutions to the world of aquatics.

At PCFR PoolCop, we've been developing intelligent technologies for more than 15 years, enabling us to offer solutions for managing the entire pool environment proactively and autonomously.

We innovate, design, develop and manufacture pool equipment and appliances, challenging traditional thinking to offer a totally new experience to pool owners and professionals, while keeping a watchful eye on ecological and economic issues.

Our team of experts, all specialists in their fields, works tirelessly and in close collaboration with pool professionals on an international scale, to respond to today's requirements, and anticipate tomorrow's needs. Reactivity, professionalism, expertise and an open mind: it's by combining these qualities that we are able to develop the most advanced functionalities.

Business Hours

Monday – Friday 09h00 - 12h00 and 14h00 - 17h00 CET
Closed on French public holidays

Catalogue Notes

Images in this catalogue show typical products, actual components may vary; images are non-contractual. We have a permanent research and development program, and consequently we reserve the right to make changes and improvements to any of the products described in this catalogue, without prior notification. Any mention in this catalogue of the "swimming pool owner" refers to the owner of the product(s). The owner may designate a representative to act on his behalf but remains responsible for the decisions and actions of this representative

All prices are recommended public price EXW excluding VAT in EUR (PPHT€)

Contents

| | |
|--|---------|
| POOLCOP | Page 4 |
| NEW IN 2026 | Page 6 |
| INCORPORATED FEATURES | Page 8 |
| EACH POOL, PERFECTED BY DATA | Page 9 |
| POOLCOP CORE | Page 10 |
| POOLCOP INFINITY | Page 13 |
| COMPATIBLE OPTIONS (Core & Infinity) | |
| WATER LEVEL KITS | Page 17 |
| SENSOR KITS | |
| pH+ORP | Page 17 |
| Free Available Chlorine Sensor | Page 18 |
| Proximity Sensor | Page 18 |
| TREATMENT EQUIPMENT | |
| PoolCop Lagoon | Page 18 |
| Flow Detection | Page 19 |
| Chemical Injection Pumps | Page 19 |
| Chemical Low Level Sensors | Page 19 |
| ADDITIONAL OPTIONS | |
| PoolCop Edge | Page 20 |
| Besgo Automatic Valves | Page 21 |
| Digital Flow Meter | Page 22 |
| Waste Back Up Valve | Page 23 |
| Flooding Detector | Page 23 |
| Energy Meter IoT | Page 23 |
| POOLCOP GENESIS | Page 25 |
| POOLCOP EVOLUTION | Page 28 |
| COMPATIBLE OPTIONS (Evolution & Genesis) | |
| WATER LEVEL KITS | Page 32 |
| SENSOR KITS | |
| pH+ORP | Page 32 |
| Free Available Chlorine Sensor | Page 33 |
| Proximity Sensor | Page 33 |
| TREATMENT EQUIPMENT | |
| PoolCop Lagoon | Page 34 |
| Flow Detection | Page 34 |
| Chemical Injection Pumps | Page 34 |
| Chemical Low Level Sensors | Page 35 |
| ADDITIONAL OPTIONS | |
| XM8 | Page 35 |
| Besgo Automatic Valves | Page 36 |
| Digital Flow Meter | Page 37 |
| Waste Back Up Valve | Page 38 |
| Flooding Detector | Page 38 |
| Cellular Router | Page 38 |
| Energy Meter IoT | Page 39 |
| POOLCOP RESSOURCES | Page 40 |
| GENERAL TERMS AND CONDITIONS OF SALE | Page 41 |

PoolCop

PRECISION POOL CARE FOR EVERY POOL

Streamlined, sustainable, and smart pool management—empowering professionals with innovative solutions, enhancing owners' enjoyment, and reducing the environmental impact.

Using advanced sensors and smart algorithms, PoolCop tracks what is happening in real time, analyzes the data it collects, and logs it for ongoing optimization. Equipped with unique machine-learning capabilities, PoolCop progressively understands and predicts each pool's behavior and calculates the best care routine accordingly.

Instant adjustments and intelligent features keep water, energy, and chemical consumption to a strict minimum, extending equipment lifespan and shifting pool care from reactive problem-solving to proactive management.

Whether it is a private or public pool, a new build, renovation, or upgrade, PoolCop simplifies day-to-day tasks for pool professionals and restores the pleasure of ownership for pool users—all from a single control unit.

EMPOWERING PROFESSIONALS, PERFECTING POOLS

POOL MANAGEMENT IS SHAPED BY THREE CORE ELEMENTS

1 Physical installation
Each pool has a unique configuration and environment.

2 Pool use
A pool may be used for quiet relaxation, daily exercise, or lively pool parties with multiple swimmers.

3 Professional preferences
Every technician has a distinct approach and expertise, shaped by years of experience and specific working methods.

Our modular approach ensures:

- **Scalable solutions**—starting with the essentials and expanding as needs evolve.
- **Real-time monitoring & insights**—enabling professionals to diagnose issues remotely and giving owners clarity on their pool's condition.
- **Adaptability to any installation**, from basic systems to high-tech complexes, delivering optimal efficiency regardless of usage, ownership, or environmental challenges.

The system is designed as a tool that empowers pool professionals, not one that replaces them. It becomes their "eyes and ears" in the pump house, providing precise, actionable information.

Professionals and owners are not locked into a closed ecosystem and can integrate PoolCop seamlessly into any setup.

PoolCop

A TECHNOLOGICAL LEAP FORWARD

PIONEERING SMART POOL MANAGEMENT

Technological innovation now touches every domain, and pool management is no exception. Building on the proven foundations of PoolCop Evolution and PoolCop Genesis, we have re-engineered our range to meet today's expectations while preserving the core intelligence that set our systems apart from the beginning.

Rather than starting from scratch, we have enhanced and extended our existing platforms, integrating greater processing power, expanded memory, and a future-ready architecture that leaves room for continuous upgrades and new capabilities.

- **Faster processing** for real-time calculations, immediate responses, and seamless performance.
- **More memory** to handle complex tasks, optimize multitasking, and store valuable data.
- **Future-ready architecture** designed to integrate with evolving technologies for the next decade.
- **Enhanced connectivity** for stable, versatile, and effortless integration with any pool system.

*Technology must stay ahead of the curve—
if we are only reacting, we are already behind.*

REVOLUTIONIZING POOL MANAGEMENT

DATA-DRIVEN APPROACH & CUSTOM ALGORITHMS

*It's not about keeping up with innovation—
it's about setting the standards.*

Our system dynamically adapts to the unique characteristics of each pool:

- **Configurable settings** mirror the way professionals actually work, creating a familiar yet far more efficient operating environment.
- **Sliding-scale set points** deliver truly personalized water balance, tuned to the specific needs of the pool, its owner, and the professional who manages it.
- **Intelligent adjustment timing** allows chemical treatments and other corrections to take full effect before new changes are made, reducing overdosing, waste, and unnecessary interventions.

This intelligence is not theoretical or based on generic industry norms; it is the result of years of field experience, pragmatic insight, and a deep understanding of how each pool behaves as a unique system.

**NEW
IN
2026**

DATA + DISINFECTION



Eliminate guesswork, optimize disinfection, and provide predictive insights for precise and proactive pool care.

Predict, Protect, Perfect

PoolCop Core is the entry point to precision pool management, providing actionable insights and disinfection automation—while leaving equipment control in the hands of the professional.

Data Acquisition & Monitoring

Pre-defined Inputs



WATER LEVEL



WATER & AIR TEMPERATURE



WATER PRESSURE



FLOW RATE

Additional



12 DIGITAL INPUTS

Built-In Advantages

TA

ESTIMATION

DUAL

PUMP MONITORING

DOUBLE

FILTRATION FLOW RATE & PRESSURE

4

MODBUS CONNECTIONS

DMX

LIGHTING READY

Automation

Pre-defined Relays



pH CONTROL



DISINFECTION CONTROL



REFILL VALVE

Enhanced cloud connectivity with automatic switch-over between available networks

Engineered for speed, expanded memory, and advanced analytics



INTEGRATED WIFI



INTEGRATED ETHERNET



4G ROUTER OPTION



NEXT-GEN MICROPROCESSOR



AI OPTIMIZED



ONSITE CONFIGURATION

Access settings instantly by connecting a device to the unit's built-in Wi-Fi.


This new range offers a simpler, more intuitive interface with improved visibility for easier configurations.

Pool settings are managed directly from the pump house using any connected device, such as a smartphone or tablet.



**NEW
IN
2026**

DATA + AUTOMATION



Streamline operations and enhance efficiency with predictive intelligence and total automation.

Power, Precision, Performance

PoolCop Infinity is the pinnacle of intelligent pool management, offering comprehensive data acquisition, advanced automation, and predictive analytics in a single, future-ready platform.

Data Acquisition & Monitoring

Pre-defined Inputs



WATER LEVEL



WATER & AIR TEMPERATURE



WATER PRESSURE



FLOW RATE

Additional

12

DIGITAL INPUTS

Built-In Advantages

TA
ESTIMATION

DUAL
PUMP
MONITORING

DOUBLE
FILTRATION
FLOW RATE
& PRESSURE

4
MODBUS
CONNECTIONS

DMX
LIGHTING
READY

Automation

Pre-defined Relays



pH CONTROL



DISINFECTION CONTROL



REFILL VALVE

Additional Relays

8

STANDARD

+7

OPTIONAL

Enhanced cloud connectivity with automatic switch-over between available networks



INTEGRATED WIFI



INTEGRATED ETHERNET



4G ROUTER OPTION

Engineered for speed, expanded memory, and advanced analytics



NEXT-GEN MICROPROCESSOR



AI OPTIMIZED

SCALE UP TO
32
RELAYS



STANDARD

8

POWERED RELAYS

OPTIONAL

+7

DRY CONTACT RELAYS

MODULAR & SCALABLE

Unlock automation and extend control of all pool and exterior features with Poolcop Edge

PoolCop Edge is the extension module that elevates any PoolCop Core or Infinity installation.

By adding one or two Edge units to a PoolCop Core, the system becomes fully automated for equipment control — ideal for progressing into automation as and when needed.

Adding one Edge unit to an Infinity enhances automation even further, adapting seamlessly to complex and demanding installations.

NOTE - Edge is not a standalone controller

INCORPORATED FEATURES

Standard Features

- | | | |
|--|--|--|
|  Fully open system |  Monitoring and control via PoolCop Apps & Cloud Interfaces |  Unlimited water volume |
|  Pool portfolio remote management |  Data and remote access 24/7 |  Online configurations |
|  Dual filtration |  Dual water pressure and flow rate |  Water refill |
|  Anomaly alerts |  Integrated RJ45 and Modbus communications |  DMX lighting ready |
|  Wifi connection |  Ethernet |  4G router option |

Key Functionalities

- | | | |
|--|--|---|
|  Filtration programming |  Pump control and variable speed adjustment |  Automatic filter cleaning |
|  Water level control - refill and reduction |  Water temperature control |  Water pressure monitoring |
|  Pool cover monitoring and control |  Control of additional equipment: cleaner, lighting, jet stream, fountain, heating... |  Antifreeze protection |

Water Treatment

- | | | |
|--|---|--|
|  Water balance control and TA |  pH control |  Disinfection control |
|  Combined sensor for pH and ORP |  Overdosing security |  Drum level control |

Smart Features

- | | | |
|--|---|---|
|  Early leak detection |  Pool light control based on ephemeris |  Weather dependent automatic refilling |
|  Water analysis via Bluetooth |  Smart floating setpoint |  Remote sensor calibration |

Integrated Technology

- | | | |
|--|--|--|
|  Smart proprietary algorithms |  Cloud technology |  Automatic firmware updates |
|--|--|--|

EACH POOL PERFECTED BY DATA

Beyond automation, PoolCop delivers comprehensive data acquisition as standard, giving pool professionals and owners a real-time, holistic view of the entire pool environment-before any decisions are made.

Why is data acquisition so important?

Insight not oversight

Instead of reacting to problems, PoolCop provides calculated, real-time insights empowering professionals to manage and maintain pools proactively.

Optimal efficiency


By continuously monitoring water chemistry, filtration, and energy consumption, the pool manager ensures that pools run at peak efficiency, minimizing waste and extending equipment lifespan.

True automation

Many pool systems automate basic tasks, but without data-driven intelligence they cannot adapt to changing conditions.

Data-driven insights are not just a technological upgrade—they are a fundamental shift in pool maintenance, transforming each pool from a passive installation into a responsive, intelligent ecosystem. Using the data logs the system analyses dozens of variables and historical trends, sending alerts that range from gentle reminders to urgent warnings.

PoolCop covers the full spectrum of pool health and equipment status, giving the pro a complete, prioritized overview, and enabling smarter scheduling, faster responses and less downtime.



Complete access to
data acquisition and
PoolCop Apps:
80€ HT/year
96€ TTC

7GB
Data Roaming

Rechargeable
data roaming for
the 4G router:
150€ HT
168€ TTC

PoolCop Core



THE SMART ENTRY POINT FOR DATA-DRIVEN POOL CARE

Experience a new era of pool management with PoolCop Core. This advanced solution combines the precision of real-time analytics and smart automation, giving professionals and owners actionable insight into every aspect of water quality and system health—while keeping direct equipment control in expert hands.

The modular architecture allows users to start with essential monitoring and disinfection control, then scale up by adding up to two PoolCop Edge modules as and when needed.

PoolCop Core adapts seamlessly to any pool environment, delivering predictive alerts, reliable disinfection, and intelligent monitoring that optimize performance and simplify maintenance. Designed for flexibility, it empowers users to respond proactively to each pool's unique needs and usage patterns.



ADVANCED DATA ACQUISITION:

Continuously monitors water chemistry, temperature, pressure, flow rate, water and drum levels, and energy consumption with high-accuracy sensors.

DUAL PUMP MONITORING & DOUBLE FILTRATION:

Monitors two pumps and dual filtration circuits, optimizing flow rates and water pressure—essential for complex pool installations.

AUTOMATED WATER QUALITY:

Smart dosing for pH and disinfectant ensures consistently safe water. Proprietary algorithms provide Total Alkalinity estimation and predictive alerts for proactive maintenance.

INTELLIGENT AUTOMATION & ALERTS:

Early leak detection, weather-dependent refill management, overdosing security, anti-freeze protection, and filter cleaning notifications maximize safety and operational efficiency.

RELIABLE CONNECTIVITY:

WiFi, Ethernet, and 4G options guarantee a stable network and uninterrupted, real-time data flow to the cloud, keeping pool status visible at all times—even in demanding installation sites.

PRO MANAGEMENT TOOLS:

Seamless app integration for real-time remote diagnostics, monitoring, scheduling, and portfolio management—tailored for both professionals and owners.

ONSITE CONFIGURATIONS

Pool settings are managed directly in the pump house using any connected device, via a direct link to the unit's built-in Wi-Fi.

OPEN PLATFORM:

Fully adaptable for integration and future upgrades, suitable for both new pool builds and retrofits.

ENGINEERED FOR PERFORMANCE:

Next-generation processing power and expanded memory enable rapid data analysis and advanced system diagnostics. Ample capacity for analytics and reserved expansion slots anticipate future upgrades in pool care technology.

MODULAR & SCALABLE:

Expand as needed with 1 or 2 Edge modules; the open system design supports retrofits and is compatible with third-party equipment.



TECHNICAL SPECIFICATIONS

PoolCOP Core

PoolCOP Core 4G

| REFERENCE | 100001 | 100002 |
|--|---|--|
| COMPONENTS | <ul style="list-style-type: none"> • PoolCOP Core unit • Flow cell cap with water pressure, water temperature and pH-ORP sensor housings • Water pressure sensor • Water temperature sensor • Air temperature sensor • 2 antennas | <ul style="list-style-type: none"> • PoolCOP Core unit • Flow cell cap with water pressure, water temperature and pH-ORP sensor housings • Water pressure sensor • Water temperature sensor • Air temperature sensor • 2 antennas • 4G router |
| DIMENSIONS | 270 x 320 X 110 (LxHxW) - 2.4 KG | |
| GUARANTEE | 24 months | |
| DISPLAY AND CONTROLS | Via web interfaces and PoolCOP Cloud | |
| POOLCOP CORE UNIT PROTECTION | IP54 | |
| MAIN POWER SUPPLY | 110 - 250 V.a.c. 50Hz-60Hz 10A | |
| POWER SUPPLY FLUCTUATIONS | +/- 10% | |
| MAINS FUSES | 10A | |
| POWERED RELAY FUSES | 4A | |
| OVERVOLTAGE CATEGORY | II | |
| USAGE | Indoor | |
| RELATIVE HUMIDITY | 80% up to 31°C, linear decrease down to 50% at 45°C | |
| POLLUTION DEGREE | 2 | |
| ALTITUDE | 2000m | |
| OPERATING TEMPERATURE | -5°C - 45°C (23°F - 113°F) | |
| PH / ORP SENSORS | 530017 for Chlorine or Bromine - 530018 for Electrolysis | |
| MEASUREMENT RANGES | Air temperature: -30°C - 65°C (22°F - 149°F) Water pressure: -0.9 - 2.50 bars (-13 - 36 psi) Water temperature: 0 - 60° (32°F - 140°F) Water level: very high - high - normal - low pH S.U.: 4-14 ORP/Redox: 0 to 999mV Consumables level: normal - low | |
| PROGRAMMABLE RELAYS | pH: 1 relay, 0-250Va.c. 4A Disinfection: 1 relay, 0-250V.a.c. 4A | |
| PROGRAMMABLE INPUTS | 12 potential free, open/closed action | |
| COMMUNICATION PORTS (MODBUS & DMX) | 4 x ModBus, 1 x DMX : RS485 | |
| COMPLIANCE, ACCREDITATION, CERTIFICATION | CE | |
| INSTALLATION COMPATIBILITY | New construction, renovation, or upgrade Residential and commercial pools and spas | |
| COMPATIBLE OPTIONS | <ul style="list-style-type: none"> • Water level kit • Treatment packs: chlorine and salt • Poolcop Edge extension module • Flow meter • Waste backup valve • Flooding detection • IoT energy meter • Free available chlorine sensor • Free chlorine sensor • Total chlorine sensor • Panel assembly | |

POOLCOP CORE



POOLCOP CORE

100001 PoolCore Core

100002 PoolCore Core 4G

Includes:

- PoolCop Core Unit, 2 Predefined Relays (pH + Disinfection), 12 Inputs
- Flow Cell Cap with Water Pressure, Water Temperature and pH-ORP Sensor Housings
- Water Pressure Sensor
- Water Temperature Sensor
- Air Temperature Sensor
- 2 Antennas
- Preinstalled 4G Router (*product ref. 100002 only*)
- Guarantee 24 Months
- Eco participation 0.12€

POOLCOP CORE CHLORINE PANEL

120001 PoolCop Core Chlorine Panel

120003 PoolCop Core Chlorine Panel 4G

Includes:

- PoolCop Core Unit, 2 Predefined Relays (pH + Disinfection), 12 Inputs
- Flow Cell Cap with Water Pressure, Water Temperature and pH-ORP Sensor Housings
- Water Pressure Sensor
- Water Temperature Sensor
- Air Temperature Sensor
- 2 Antennas
- Preinstalled 4G Router (*product ref. 120003 only*)
- pH+ORP Pt Sensor (chlorine)
- 2 Peristaltic Pump Kits 3 l/hr, and 2 Weighted Level Sensors
- Guarantee: see products in the pack for details
- Eco participation 0.12€



POOLCOP CORE LAGOON PANEL

120002 PoolCop Core Lagoon Panel

120004 PoolCop Core Lagoon Panel 4G

Includes:

- PoolCop Core Unit, 2 Predefined Relays (pH + Disinfection), 12 Inputs
- Flow Cell Cap with Water Pressure, Water Temperature and pH-ORP Sensor Housings
- Water Pressure Sensor
- Water Temperature Sensor
- Air Temperature Sensor
- 2 Antennas
- Preinstalled 4G Router (*product ref. 120004 only*)
- pH+ORP Au Sensor (sel)
- 1 Peristaltic Pump Kit 3 l/hr, and 1 Weighted Level Sensor
- PoolCop Lagoon Power Pack (230 Va.c.) with Cell
- Guarantee: see products in the pack for details
- Eco participation 0.12€



PoolCop Infinity



ALL-IN-ONE POWER AND PRECISION FOR COMPLETE POOL MANAGEMENT

PoolCop Infinity is the ultimate platform for complete pool management from day one, bringing together intelligent monitoring, rich data acquisition, and full-spectrum automation in a single, expandable system.

Engineered to grow with every project, it combines robust built-in capabilities with flexible expansion options to support everything from essential treatment and filtration to extensive auxiliary equipment management.

Designed for demanding residential, commercial, and specialty pools, Infinity delivers the power and precision needed to optimize performance, enhance efficiency, and adapt effortlessly as requirements evolve.



ADVANCED DATA ACQUISITION:

Continuous, high-precision monitoring with dedicated inputs for water chemistry, temperature, pressure, flow rate, and water level. Twelve additional inputs support optional sensors for cover status, drum level, flood detection, and other data points—delivering complete system awareness for pools of any complexity.

DUAL PUMP MONITORING & DOUBLE FILTRATION:

Controls and monitors two pumps and dual filtration circuits, optimizing flow rates and water pressure—essential for complex pool installations.

AUTOMATED WATER QUALITY & EQUIPMENT CONTROL:

Fully automated pH and disinfectant dosing, and control of all major pool equipment—including single and multi-speed pumps, filtration cycles, automatic valves, pool heating, ACO dosing, pool cleaners, and lighting, provide a complete solution for a perfectly balanced pool environment.

INTELLIGENT AUTOMATION & ALERTS:

Early leak detection, weather-dependent refill management, overdosing security, anti-freeze protection, and filter cleaning notifications maximize safety and operational efficiency.

RELIABLE CONNECTIVITY:

WiFi, Ethernet, and 4G options guarantee a stable network and uninterrupted, real-time data flow to the cloud, keeping pool status visible at all times—even in demanding installation sites.

PRO MANAGEMENT TOOLS:

Seamless app integration for real-time remote diagnostics, monitoring, scheduling, and portfolio management—tailored for both professionals and owners.

ONSITE CONFIGURATIONS

Pool settings are managed directly in the pump house using any connected device, via a direct link to the unit's built-in Wi-Fi.

OPEN PLATFORM:

Fully adaptable for integration and future upgrades, suitable for both new pool builds and retrofits.

ENGINEERED FOR PERFORMANCE:

Next-generation processing power and expanded memory enable rapid data analysis and advanced system diagnostics. Ample capacity for analytics and reserved expansion slots anticipate future upgrades in pool care technology.

MODULAR & SCALABLE:

Expand as needed with 1 or 2 Edge modules; the open system design supports easy retrofits and compatibility with third-party equipment.




TECHNICAL SPECIFICATIONS

PoolCOP Infinity

PoolCOP Infinity 4G

| REFERENCE | 200001 | 200002 |
|--|--|--|
| COMPONENTS | <ul style="list-style-type: none"> • PoolCOP Infinity unit • Flow cell cap with water pressure, water temperature and pH-ORP sensor housings • Water pressure sensor • Water temperature sensor • Air temperature sensor • 2 antennas | <ul style="list-style-type: none"> • PoolCOP Infinity unit • Flow cell cap with water pressure, water temperature and pH-ORP sensor housings • Water pressure sensor • Water temperature sensor • Air temperature sensor • 2 antennas • 4G router |
| DIMENSIONS | 420 x 320 X 110 (LxHxW) - 4 KG | |
| GUARANTEE | 24 months | |
| DISPLAY AND CONTROLS | Via web interfaces and PoolCOP Cloud | |
| POOLCOP INFINITY UNIT PROTECTION | IP54 | |
| MAIN POWER SUPPLY | 110 - 250 V.a.c. 50Hz-60Hz 10A | |
| POWER SUPPLY FLUCTUATIONS | +/- 10% | |
| MAINS FUSES | 10A | |
| POWERED RELAY FUSES | 4A | |
| OVERVOLTAGE CATEGORY | II | |
| USAGE | Indoor | |
| RELATIVE HUMIDITY | 80% up to 31°C, linear decrease down to 50% at 45°C | |
| POLLUTION DEGREE | 2 | |
| ALTITUDE | 2000m | |
| OPERATING TEMPERATURE | -5°C - 45°C (23°F - 113°F) | |
| PH / ORP SENSORS | 530017 for Chlorine or Bromine - 530018 for Electrolysis | |
| MEASUREMENT RANGES | Air temperature: -30°C - 65°C (22°F - 149°F) Water pressure: -0.9 - 2.50 bars (-13 - 36 psi) Water temperature: 0 - 60° (32°F - 140°F) Water level: very high - high - normal - low pH S.U.: 4-14 ORP/Redox: 0 to 999mV Consumables level: normal - low | |
| PROGRAMMABLE RELAYS | pH: 1 relay, 0-250V.a.c. 4A Disinfection: 1 relay, 0-250V.a.c. 4A Auxiliaries: 8 powered relays, 0-250V.a.c. 4A | |
| PROGRAMMABLE INPUTS | 12 potential free, open/closed action | |
| COMMUNICATION PORTS (MODBUS & DMX) | 4 x ModBus, 1 x DMX : RS485 | |
| COMPLIANCE, ACCREDITATION, CERTIFICATION | CE | |
| INSTALLATION COMPATIBILITY | New construction, renovation, or upgrade Residential and commercial pools and spas | |
| COMPATIBLE OPTIONS | <ul style="list-style-type: none"> • Water level kit • Treatment packs: chlorine and salt • Poolcop Edge extension module • Flow meter • Waste backup valve • Flooding detection • IoT energy meter • Free available chlorine sensor • Free chlorine sensor • Total chlorine sensor • Third party automatic valves (Besgo): clean, rinse & suction • Variable speed pump • Panel assembly | |

POOLCOP INFINITY



POOLCOP INFINITY

- 200001 PoolCore Infinity
- 200002 PoolCore Infinity 4G

Includes:

- PoolCOP Infinity Unit, 2 Predefined Relays (pH + Disinfection), 8 Powered Relays, 12 Inputs
- Flow Cell Cap with Water Pressure, Water Temperature and pH-ORP Sensor Housings
- Water Pressure Sensor
- Water Temperature Sensor
- Air Temperature Sensor
- 2 Antennas
- Preinstalled 4G Router (*product ref. 200002 only*)
- Guarantee 24 Months
- Eco participation 0.12€

POOLCOP INFINITY CHLORINE PANEL

- 220001 PoolCOP Infinity Chlorine Panel
- 220003 PoolCOP Infinity Chlorine Panel 4G

Includes:

- PoolCOP Infinity Unit, 2 Predefined Relays (pH + Disinfection), 8 Powered Relays, 12 Inputs
- Flow Cell Cap with Water Pressure, Water Temperature and pH-ORP Sensor Housings
- Water Pressure Sensor
- Water Temperature Sensor
- Air Temperature Sensor
- 2 Antennas
- Preinstalled 4G Router (*product ref. 220003 only*)
- pH+ORP Pt Sensor (chlorine)
- 2 Peristaltic Pump Kits 3 L/hr, and 2 Weighted Level Sensors
- Guarantee: see products in the pack for details
- Eco participation 0.12€



POOLCOP INFINITY LAGOON PANEL

- 220002 PoolCOP Infinity Lagoon Panel
- 220004 PoolCOP Infinity Lagoon Panel 4G

Includes:

- PoolCOP Infinity Unit, 2 Predefined Relays (pH + Disinfection), 8 Powered Relays, 12 Inputs
- Flow Cell Cap with Water Pressure, Water Temperature and pH-ORP Sensor Housings
- Water Pressure Sensor
- Water Temperature Sensor
- Air Temperature Sensor
- 2 Antennas
- Preinstalled 4G Router (*product ref. 220004*)
- pH+ORP Au Sensor (sel)
- 1 Peristaltic Pump Kit 3 L/hr, and 1 Weighted Level Sensor
- PoolCOP Lagoon Power Pack (230 Va.c.) with Cell
- Guarantee: see products in the pack for details
- Eco participation 0.12€



PoolCop Core

PoolCop Infinity

COMPATIBLE OPTIONS

| | |
|--------------------------------------|---------|
| WATER LEVEL KITS | Page 17 |
| SENSOR KITS | |
| pH+ORP | Page 17 |
| Free Available Chlorine Sensor | Page 18 |
| Proximity Sensor | Page 18 |
| TREATMENT EQUIPMENT | |
| PoolCop Lagoon | Page 18 |
| Flow Switch | Page 19 |
| Chemical Injection Pumps | Page 19 |
| Chemical Low Level Sensors | Page 19 |
| ADDITIONAL OPTIONS | |
| PoolCop Edge | Page 20 |
| Besgo Automatic Valves | Page 21 |
| Digital Flow Meter | Page 22 |
| Waste Backup Valve | Page 23 |
| Flooding Detection | Page 23 |
| Energy Meter IoT | Page 23 |

WATER LEVEL KITS

Our water level kits, for either classic or overflow pools, are equipped with 4 sensors (very high, high, normal, low) to send accurate water level measurements directly to the PoolCop unit. The readings and analysis from the sensors allow PoolCop to respond in multiple ways; leak detection, weather dependent refilling, intelligent use of surplus water for backwashing.

Water Line or Skimmer (classic pools)



520003

Water Level Kit for Water Line or Skimmer

Includes:

- Level Sensor (4 fixed levels with 20m cable)
- Solenoid Valve (24Va.c.)
- Non-return Valve, Stop Valve 1/4 Turn, Connector Kit
- 2 Saddle Clamps (D50mm and D63mm)
- Guarantee 24 months
- Eco participation 0.42€

Compatibility

PoolCop Core - PoolCop Infinity

Buffer Tank (overflow pools)



520001

Water Level Kit for Buffer Tank

Includes:

- 4 Buffer Tank Level Sensors (Stainless Steel with 6m cable)
- Solenoid Valve (24Va.c.)
- Non-return Valve, Stop Valve 1/4 Turn, Connector Kit
- 2 Saddle Clamps (D50mm and D63mm)
- Guarantee 24 months
- Eco participation 0.42€

Compatibility

PoolCop Core - PoolCop Infinity

SENSOR KITS

pH+ORP

These unique 2-in-1 sensors integrate both pH and ORP measurements and are installed directly in the housing provided with the flow cell cap.



530017

530017

pH+ORP Pt Sensor Kit Core/Infinity *

Chlorine

530018

pH+ORP Au Sensor Kit Core/Infinity

Salt

* Use this sensor for chlorine, bromine, etc.

Includes:

- Floating Reference Technology Sensor with 4m cable
- Sensor Nut, Grip Washer, Compression Rings, Sensor O-Ring
- Guarantee 24 months
- Eco participation 0.12€



530018

Compatibility

PoolCop Core - PoolCop Infinity

SENSOR KITS

Free Available Chlorine

For perfect disinfection and a regulation compliant pool, this professional grade sensor measures free available chlorine in the water (including chlorine bound in stabilizers), in parts per million, equivalent to DPD1 as measured by health authorities.

Suited to public pools and commercial aquatic venues, as well as residential pools.



530019

Free Available Chlorine Sensor Installation Pack Core/Infinity

DPD1

Includes:

- Free Available Chlorine Sensor (Maintenance Kit Included)
- Chlorine Sensor Cable
- Chlorine Sensor Panel
- 2 x Isolation Valves, and 6m of 3/8" tubing
- Guarantee Sensor & Cable - 12 months
- Guarantee Flow Cell Panel - 24 months
- Eco participation 0.12€

Compatibility

PoolCop Core - PoolCop Infinity

Proximity Sensor

This sensor is installed in the Free Available Chlorine flow cell to ensure there is sufficient flow for an accurate chlorine measurement.



530004

Free Available Chlorine Proximity Sensor

Includes:

- Proximity Sensor with 2m Cable
- Guarantee - 24 months
- Eco participation 0.12€

Compatibility

PoolCop Core - PoolCop Infinity

TREATMENT EQUIPMENT

PoolCop Lagoon

PoolCop Lagoon combines simplicity, durability and practicality, using Smart Power technology.

PoolCop Lagoon manages salt levels from 2.5 to 10 grams per liter, for pools up to 120 m³, and the intelligent control system, combined with the cell's 10,000 hour lifespan and polarity-reversal cleaning system, guarantees unrivalled resilience at a highly competitive price.



550002

PoolCop Lagoon 120

Includes:

- PoolCop Lagoon Power Pack with Mounting Bracket
- PoolCop Lagoon Cell with Cable, Collars and 2 Reductions 63/50 mm
- Guarantee Power Pack & Cell - 24 months
- Eco participation 0.42€

Compatibility

PoolCop Core - PoolCop Infinity

TREATMENT EQUIPMENT

Flow Detection

This simple flow detector informs the PoolCop unit of flow or no-flow in the pipeline.



540004 Flow Switch Kit

Includes:

- Flow Switch with 4m Cable
- 3/4" Male-Male Adapter
- Guarantee - 24 months
- Eco participation 0.42€

Compatibility PoolCop Core - PoolCop Infinity

Dosing Pumps

This high quality injection pump ensures precise chemical handling with zero contamination, thanks to three rollers to prevent siphoning, overdosing and loss of priming, and a Santoprene tubing ideal for dispensing pH or chlorine products.



550013 Peristaltic Pump Kit 3.0L/h

Includes:

- Peristaltic Pump 230Va.c. with ON/OFF Switch and 2.5 m Cable
- Wall Mount with Stirrup, 2 Screws and Wall Plugs
- Foot Filter
- Suction/Injection Tube (4m)
- Injection Valve
- 2 Saddle Clamps (D50mm and D63mm)
- Guarantee Avady - 24 months
- Eco participation 0.42€

Compatibility PoolCop Core - PoolCop Infinity

Drum Level Sensors

The drum level sensors are used for precise monitoring and to alert when the level is low to empty, ensuring correct disinfection at all times and consistent water quality.

The suction wand is used for 20 litre drums and the weighted sensor caters for all drum and tank volumes.

Drum Level Sensor with Suction Wand



550011 Suction Wand 50cm with level detection 50cm

550012 Suction Wand 80cm with level detection 80cm

Includes:

- Suction Wand with Non-Return Valve and Float Level Sensor
- Suction Tube (4m)
- Guarantee Avady - 24 months
- Eco participation 0.12€

Compatibility PoolCop Core - PoolCop Infinity

TREATMENT EQUIPMENT

Drum Level Sensor - Weighted



550010

Level Sensor, Weighted

Includes:

- Float Level Sensor for Chemical Low Level Detection
- 4m Cable
- Guarantee Avady - 24 months
- Eco participation 0.12€

Compatibility

PoolCop Core - PoolCop Infinity


ADDITIONAL OPTIONS

PoolCop Edge - Extension Module

PoolCop Edge is the extension module that brings advanced automation and equipment control to your PoolCop system. Edge extends the capabilities of any PoolCop Core or Infinity installation, enabling advanced automation and comprehensive management of both pool and exterior features.

Edge provides eight powered relays for direct control of key equipment such as filtration pumps, pneumatic valves, lighting, cleaning systems, heating, water features, and irrigation.

At any time, an Edge Plus electronics card can be added with a simple installation to provide seven additional dry-contact relays.



500001

PoolCop Edge

Includes:

- PoolCop Edge Unit with 8 Powered Relays
- Guarantee - 24 months
- Eco participation 0.12€

Compatibility

PoolCop Core - PoolCop Infinity



500002

Edge Plus - Optional Board (7 relays)

- Electronic Board with 7 Dry Contact Relays
- Guarantee - 24 months
- Eco participation 0.12€

Compatibility

PoolCop Edge - PoolCop Infinity

ADDITIONAL OPTIONS

Automatic Pneumatic Valves

Besgo valves are built using the highest quality components available, and are easy to control allowing safe automated filtration, backwashes, water attractions and more.

With a lower pressure drop than traditional 6-way valves the Besgo 5-way valve can be fitted directly on the filter or wall mounted with 90° rotating connections. The valve returns automatically to 'Filtration Mode' in the case of electrical failures, and the filtration pump does not need to be stopped during the switchover. The valve works automatically and is operated by either water or air pressure via connection to the water network or a small air compressor.

The addition of a Besgo 3-way valve to a Besgo 5-way valve ensures backwashing is completed with totally automated filter rinsing. The valve also provides higher pressure for optimal backwash velocity directly from the main drain, using the cleanest water from your pool.

The 3-way valve can also be installed for additional suction.



BESGO 5-WAY VALVES

| | | |
|--------|---|-------|
| 510018 | Besgo Backwash Valve DN40/d50mm - 125mm (Astral, Behncke, Fiberplast) | 230 V |
| 510019 | Besgo Backwash Valve DN40/d50mm - 190mm (Calplas, Triton) | 230 V |
| 510001 | Besgo Backwash Valve DN50/D63mm - 140mm (Behncke) | 230 V |
| 510002 | Besgo Backwash Valve DN50/D63mm - 150m (Hayward) | 230 V |
| 510003 | Besgo Backwash Valve DN50/D63mm - 190mm (Calplas, Triton) | 230 V |
| 510004 | Besgo Backwash Valve DN50/D63mm - 215mm (Lacron) | 230 V |
| 510005 | Besgo Backwash Valve DN50/D63mm - 220mm (Fiberplast) | 230 V |
| 510006 | Besgo Backwash Valve DN50/D63mm - 230mm (Astral) | 230 V |
| 510024 | Besgo Backwash Valve DN65/d75mm - 220mm (Calplas, Fiberplast) | 230 V |
| 510025 | Besgo Backwash Valve DN65/d75mm - 270mm (Astral) | 230 V |
| 510026 | Besgo Backwash Valve DN80/d90mm - 300mm (Calplas) | 230 V |
| 510027 | Besgo Backwash Valve DN100/d110mm - 360mm | 230 V |



BESGO 3-WAY VALVE

| | | |
|--------|---|-------|
| 510020 | 3-Way Besgo Aspiration Valve DN40/D50mm | 230 V |
| 510007 | 3-Way Besgo Aspiration Valve DN50/D63mm | 230 V |
| 510021 | 3-Way Besgo Aspiration Valve DN65/D75mm | 230 V |
| 510022 | 3-Way Besgo Aspiration Valve DN80/D90mm | 230 V |
| 510023 | 3-Way Besgo Aspiration Valve DN100/D110mm | 230 V |

ADDITIONAL OPTIONS

BESGO ACCESSORIES



510008



510010

| | | |
|--------|---|-------|
| 510008 | Compressor Einhell, 0,5 kW, 230 V | 230 V |
| 510009 | Connection Kit for Compressor ¼"IG : 1 Besgo Valve | |
| 510010 | Connection Kit for Compressor ¼"IG : 2 Besgo Valves | |
| 510011 | Connection Kit for Compressor ¼"IG : 3 Besgo Valves | |
| 510012 | Valve Adapter Set 48-50mm for Triton40 + TR60 | |
| 510013 | Valve Adapter Set 60-63mm for Triton100 + TR140 | |
| 510014 | Solenoid Valve 3/2 230V/50 Hz 1/4 for DN 40/50/65 - 2mm hole | |
| 510016 | Roll 5m PE tube 6/4mm | |
| 510017 | Solenoid 24 V AC | |
| 510028 | Solenoid 24 V DC | |
| 510015 | Solenoid Valve 4/2 230V/50 Hz 1/4 for old models DN 800 and 100 and new model DN125 | |

Compatibility PoolCop Core - PoolCop Infinity

Digital Flow Meter

The Digital FlowVis® Kit is designed to provide real-time water flow rate readings remotely on any connected device, and incorporates a range of features and functions.

Minimum and maximum flow alarms can be set from the configuration tab in the PoolCop interface, to ensure that each system operates as required, with exceptional accuracy of over 98%.

The digital flow meter is compatible with the entire FlowVis® range (from 1.5" to 8")*, is easy to install and requires no calibration.

*Contact us to check the compatibility of your FlowVis®



540002 Digital FlowVis® Kit Core/Infinity

Includes:

- Digital Sensor compatible with FlowVis 2.0"
- 8m Cable
- 2 Extended Length Screws
- Guarantee - 24 months
- Eco participation 0.12€



540005 FlowVis® Flow Meter Kit Core/Infinity

Includes:

- FlowVis® Flow Meter 2.0"
- FlowVis® Digital Sensor
- 8m Cable
- 2 Extended Length Screws
- Pipe Reduction PVC MF63x50
- Guarantee - 24 months
- Eco participation 0.12€

Compatibility PoolCop Core - PoolCop Infinity

ADDITIONAL OPTIONS

Waste Backup Valve

This waste backup valve secures installations from unnecessary water loss, notably buffer tank pools or low level pump houses, with pumps installed below water level.



590010

Waste Backup Valve Kit

NF 24Va.c.

Includes:

- Valve NC (Normally CLOSED), Solenoid (24Va.c.)
- Discharge Vinyl Tubing (3 meters)
- 2 PVC Union Set with D63mm to D50mm Adapter
- 2 Saddle Clamps (D50mm and D63mm)
- Guarantee - 24 months
- Eco participation 0.42€

Compatibility

PoolCop Core - PoolCop Infinity

Flooding Detection

Simple, effective and robust, the flooding detector is used for all underground equipment rooms or areas with high flooding risk. It is simply installed and requires no additional configuration.

PoolCop immediately alerts as soon as there is more than one centimetre of water in the area to be protected, allowing for quick intervention to avoid electrical risks or equipment damage.



590001

Flooding Sensor Kit

Includes:

- Flooding Sensor with 4m Cable
- PVC Cross Base
- Guarantee - 24 months
- Eco participation 0.12€

Compatibility

PoolCop Core - PoolCop Infinity

Energy Meter IoT

The energy meter precisely measures power consumption of all connected equipment, and relays the data to the PoolCop Cloud and BigPool database for storage, analysis and display.

The data provides immediate visibility to poor functioning or damaged equipment, allowing for prompt intervention, and is a means to monitor actual electrical consumption to intelligently optimize your energy use.



590002

Energy Meter IoT Monophase

100A

590004

Energy Meter IoT Multiphase

65A

Includes:

- Energy Meter DIN Mount, Modbus
- 4m Cable
- Guarantee - 24 months
- Eco participation 0.12€

Compatibility

PoolCop Core - PoolCop Infinity

PoolCOP Evolution

PoolCOP Genesis



THE A-TO-Z SOLUTION FOR POOL MANAGEMENT WITH A 6-WAY AUTOMATIC VALVE

- Open system, compatible with all third party equipment, and an automatic 6 way valve included
- Manages all pools with flow rates up to 30 m³/h
- Compatible with all side mounted granular filters (sand or glass)
- Automatic filter cleaning
- Display and control on the unit and via the dedicated interface
- Compatible with additional accessories and equipment, including variable speed pumps

 [DOWNLOAD THE COMPLETE TECHNICAL SHEET HERE](#)

IMPRESSIVE COMPATIBILITY FOR A FULLY AUTOMATED POOL

- Open system, compatible with all third party equipment
- Manages spas and pools of all sizes and flow rates
- Compatible with all filter types, including cartridge filters
- Controls third party automatic valves
- Display and control on the unit and via the dedicated interface
- Compatible with additional accessories and equipment, including variable speed pumps

 [DOWNLOAD THE COMPLETE TECHNICAL SHEET HERE](#)



UNLIMITED FREE ACCESS TO DATA ACQUISITION AND POOLCOP APPS



THIS PRODUCT HAS REACHED FEATURE MATURITY AND WILL RECEIVE ONLY MAINTENANCE AND SECURITY UPDATES.

POOLCOP GENESIS

POOLCOP GENESIS

PoolCop Genesis offers impressive compatibility and all the essential features needed for a fully automated pool, including advanced data acquisition.

It is an integral control system that manages every aspect of daily pool operation for both residential and commercial pools and spas, whatever the flow rate or filter type. As an open system, it works seamlessly with third-party equipment, including variable speed pumps, frequency inverters, and automatic valves.

The unit provides both local display and control, as well as operation via PoolCop apps for maximum convenience. With 8 programmable relays (2 preprogrammed and 6 multifunction auxiliaries), 2 programmable inputs, and comprehensive data acquisition capabilities, PoolCop Genesis delivers flexible, powerful control tailored to any installation.



300001

PoolCop Genesis

110-230Va.c.

Includes:



- Data Control Communication Unit DCCU (230Va.c.), 8 Relays, 2 Inputs
- Flow Cell with Water Pressure and Temperature Sensors, plus housing for pH+ORP Sensor
- Air Temperature Sensor
- Guarantee 24 Months
- Eco participation 0.12€

POOLCOP GENESIS with Electrolysis



310001

Pack PoolCop Genesis Chlorine

110-230Va.c

Includes:



- Data Control Communication Unit DCCU (230Va.c.), 8 Relays, 2 Inputs
- Flow Cell with Water Pressure and Temperature Sensors, plus housing for pH+ORP Sensor
- Air Temperature Sensor
- pH+ORP Au Sensor (salt)
- Kit Peristaltic Pump 3 L/hr, and Kit Suction Wand 50cm
- PoolCop Lagoon
- Guarantee: see products in the pack for details
- Eco participation 0.12€

POOLCOP GENESIS with Electrolysis



310002

Pack PoolCop Genesis Lagoon 120

110-230Va.c

Includes:



- Data Control Communication Unit DCCU (230Va.c.), 8 Relays, 2 Inputs
- Flow Cell with Water Pressure and Temperature Sensors, plus housing for pH+ORP Sensor
- Air Temperature Sensor
- pH+ORP Au Sensor (salt)
- Kit Peristaltic Pump 3 L/hr, and Kit Suction Wand 50cm
- PoolCop Lagoon
- Guarantee: see products in the pack for details
- Eco participation 0.12€

POOLCOP GENESIS



POOLCOP GENESIS PANEL with Dosing Pumps

320005 Panel Pack PoolCOP Genesis Chlorine

Includes:

- Data Control Communication Unit DCCU (230Va.c.), 8 Relays, 2 Inputs
- Flow Cell with Water Pressure and Temperature Sensors, plus housing for pH+ORP Sensor
- Air Temperature Sensor
- pH+ORP Pt Sensor (chlorine)
- 2 Peristaltic Pump Kits 3 l/hr, and 2 Weighted Level Sensors
- Guarantee: see products in the pack for details
- Eco participation 0.12€



POOLCOP GENESIS PANEL with Dosing Pumps and XM8

320007 Panel Pack PoolCOP Genesis Chlorine + XM8

Includes:

- Data Control Communication Unit DCCU (230Va.c.), 8 Relays, 2 Inputs
- Flow Cell with Water Pressure and Temperature Sensors, plus housing for pH+ORP Sensor
- Air Temperature Sensor
- pH+ORP Pt Sensor (chlorine)
- 2 Peristaltic Pump Kits 3 l/hr, and 2 Weighted Level Sensors
- PoolCOP XM8 Module
- Accessories Pack
- Guarantee: see products in the pack for details
- Eco participation 0.12€



POOLCOP GENESIS PANEL with Dosing Pumps, XM8 and FlowVis® Flow Meter

320009 Panel Pack PoolCOP Genesis Chlorine + XM8 + FlowVis

Includes:

- Data Control Communication Unit DCCU (230Va.c.), 8 Relays, 2 Inputs
- Flow Cell with Water Pressure and Temperature Sensors, plus housing for pH+ORP Sensor
- Air Temperature Sensor
- pH+ORP Pt Sensor (chlorine)
- 2 Peristaltic Pump Kits 3 l/hr, and 2 Weighted Level Sensors
- PoolCOP XM8 Module
- FlowVis® Flow Meter 2.0" and FlowVis® digital sensor with 8m cable, 2 extended length screws and PVC pipe reduction
- Guarantee: see products in the pack for details
- Eco participation 0.12€

POOLCOP GENESIS



POOLCOP GENESIS PANEL with Electrolysis PoolCOP Lagoon

320010 Panel Pack PoolCOP Genesis Lagoon

Includes:

- Data Control Communication Unit DCCU (230Va.c.), 8 Relays, 2 Inputs
- Flow Cell with Water Pressure and Temperature Sensors, plus housing for pH+ORP Sensor
- Air Temperature Sensor
- pH+ORP Au Sensor (salt)
- 1 Peristaltic Pump Kit 3 l/hr, and 1 Weighted Level Sensors
- PoolCOP Lagoon Power Pack (230 Va.c.)
- PoolCOP Lagoon Cell
- Guarantee: see products in the pack for details
- Eco participation 0.12€



POOLCOP GENESIS PANEL with Electrolysis PoolCOP Lagoon and XM8

320011 Panel Pack PoolCOP Genesis Lagoon + XM8

Includes:

- Data Control Communication Unit DCCU (230Va.c.), 8 Relays, 2 Inputs
- Flow Cell with Water Pressure and Temperature Sensors, plus housing for pH+ORP Sensor
- Air Temperature Sensor
- pH+ORP Au Sensor (salt)
- 1 Peristaltic Pump Kit 3 l/hr, and 1 Weighted Level Sensors
- PoolCOP Lagoon Power Pack (230 Va.c.) with Cell
- PoolCOP XM8 Module
- Guarantee: see products in the pack for details
- Eco participation 0.12€



POOLCOP GENESIS PANEL with Electrolysis PoolCOP Lagoon, XM8 and FlowVis® Flow Meter

320012 Panel Pack PoolCOP Genesis Lagoon + XM8 + FlowVis

Includes:

- Data Control Communication Unit DCCU (230Va.c.), 8 Relays, 2 Inputs
- Flow Cell with Water Pressure and Temperature Sensors, plus housing for pH+ORP Sensor
- Air Temperature Sensor
- pH+ORP Au Sensor (salt)
- 1 Peristaltic Pump Kit 3 l/hr, and 1 Weighted Level Sensors
- PoolCOP Lagoon Power Pack (230 Va.c.) with Cell
- PoolCOP XM8 Module
- FlowVis® Flow Meter 2.0" and FlowVis® digital sensor with 8m cable, 2 extended length screws and PVC pipe reduction
- Guarantee: see products in the pack for details
- Eco participation 0.12€

POOLCOP EVOLUTION

POOLCOP EVOLUTION

PoolCop Evolution is the A-to-Z solution for comprehensive pool management, automatically controlling and managing key functions such as filtration, water temperature, lighting, water level, water balance, and disinfection. Its automatic 6-way valve system is compatible with all side-mounted filters using granular media (sand or glass) and is designed to handle flow rates up to 30 m³/h for both residential and commercial pools and spas. As an open system, it works seamlessly with third-party equipment, including variable-speed pumps and frequency inverters, and it provides automatic filter cleaning for hassle-free maintenance.

Data display and equipment control are available directly on the valve unit and via PoolCop apps, ensuring convenient local and remote operation. Evolution is equipped with 8 programmable relays (2 preprogrammed and 6 multifunction auxiliaries) and 2 programmable inputs.

| | | | |
|--|--------|-------------------------------|------------------------------------|
|  | 400001 | PoolCop Evolution 1.5" | 110-230Va.c 16m ³ /h |
| | 400002 | PoolCop Evolution 2.0" | 110-230Va.c 30m ³ /h |
| Includes: | | | |
| <ul style="list-style-type: none"> • Valve Data Unit VDU with Water Pressure and Temperature Sensors • Control Communication Unit CCU (230Va.c.) with 8 Relays, 2 Inputs • Air Temperature Sensor • Valve Housing, with threaded inserts • Guarantee 24 Months • Eco Participation 0.12€ | | | |

POOLCOP EVOLUTION with Chemical Injection

| | | | |
|---|--------|---|------------------------------------|
|  | 410002 | Pack PoolCop Evolution 1.5" Chlorine | 110-230Va.c 16m ³ /h |
| | 410007 | Pack PoolCop Evolution 2.0" Chlorine | 110-230Va.c 30m ³ /h |
| Includes: | | | |
| <ul style="list-style-type: none"> • Valve Data Unit VDU with Water Pressure and Temperature Sensors • Control Communication Unit CCU (230Va.c.) with 8 Relays, 2 Inputs • Air Temperature Sensor • Valve Housing, with threaded inserts • pH+ORP Pt Sensor (chlorine) • 2 Peristaltic Pump Kits 3 L/hr, and 2 Suction Wand Kits 50cm • Guarantee: see products in the pack for details • Eco participation 0.12€ | | | |

POOLCOP EVOLUTION with Electrolysis

| | | | |
|---|--------|---|------------------------------------|
|  | 410003 | Pack PoolCop Evolution 1.5" Lagoon 120 | 110-230Va.c 16m ³ /h |
| | 410008 | Pack PoolCop Evolution 2.0" Lagoon 120 | 110-230Va.c 30m ³ /h |
| Includes: | | | |
| <ul style="list-style-type: none"> • Valve Data Unit VDU with Water Pressure and Temperature Sensors • Control Communication Unit CCU (230Va.c.) with 8 Relays, 2 Inputs • Air Temperature Sensor • Valve Housing, with threaded inserts • pH+ORP Au Sensor (salt) • Peristaltic Pump Kit 3 L/hr, and Suction Wand Kit 50cm • PoolCop Lagoon • Guarantee: see products in the pack for details • Eco participation 0.12€ | | | |

POOLCOP EVOLUTION

POOLCOP EVOLUTION PANEL with Dosing Pumps

- 420002 Panel PoolCOP Evolution 1.5" Chlorine
- 420006 Panel PoolCOP Evolution 2.0" Chlorine

Includes:

- Valve Data Unit VDU with Water Pressure and Temperature Sensors
- Control Communication Unit CCU (230Va.c.) with 8 Relays, 2 Inputs
- Air Temperature Sensor
- Valve Housing, with threaded inserts
- pH+ORP Pt Sensor (chlorine)
- 2 Peristaltic Pump Kits 3 l/hr. and 2 Weighted Level Sensors
- Guarantee: see products in the pack for details
- Eco participation 0.12€



POOLCOP EVOLUTION PANEL with Electrolysis PoolCOP Lagoon

- 420003 Panel PoolCOP Evolution 1.5" Lagoon
- 420007 Panel PoolCOP Evolution 2.0" Lagoon

Includes:

- Valve Data Unit VDU with Water Pressure and Temperature Sensors
- Control Communication Unit CCU (230Va.c.) with 8 Relays, 2 Inputs
- Air Temperature Sensor
- Valve Housing, with threaded inserts
- pH+ORP Au Sensor (salt)
- Peristaltic Pump Kit 3 l/hr. and Weighted Level Sensor
- PoolCOP Lagoon
- Guarantee: see products in the pack for details
- Eco participation 0.12€



Spare Parts for Annual Maintenance

- 700091 Diffuser Replacement Kit 1.5"
- 700092 Diffuser Replacement Kit 2.0"
- 700055 Battery 12V VRLA FR



700091 / 700092



700055

FILTER CONNECTION KITS for PoolCop Evolution

Fit a PoolCop Evolution to any side mounted filter with these Connection Kits

For PoolCop Evolution 1.5" (50mm)

| | |
|--------|---|
| 591501 | Filter Connection Kit Hayward 1.5" |
| 591503 | Filter Connection Kit Astral, Espa, MMC, Certikin, PPG Poltank, Zodiac, SNTE & Jupiter >2007 1.5" |
| 591504 | Filter Connection Kit Kripsol, SuperPool LKR, Hayward ProSeries HLTL <12/2018 1.5" |
| 591506 | Filter Connection Kit Aqualux L1.5" |
| 591507 | Filter Connection Kit Aqualux C1.5" |
| 591508 | Filter Connection Kit Waterco Lacron 16" <2004 1.5" |
| 591509 | Filter Connection Kit Waterco Lacron <2004 1.5" |
| 591510 | Filter Connection Kit Pentair SR 1.5" |
| 591514 | Filter Connection Kit SNTE Jupiter <2007, Titan <2007 1.5" |
| 591516 | Filter Connection Kit Python, RTM 1.5" |
| 591517 | Filter Connection Kit Calplas 1.5" |
| 591518 | Filter Connection Kit Waterco 1.5" Lacron >2004, Micron, CBI 1.5" |
| 591519 | Filter Connection Kit Hayward FG, Pomaz Aqua Easy 1.5" |
| 591522 | Filter Connection Kit Hayward HL, HLBTL, HLTL >12/2018 1.5" |
| 591524 | Filter Connection Kit AQUA Aquarius, Pentair Poseidon & Triton Lite 1.5" |
| 591525 | Filter Connection Kit Vitalia 1.5" |

For PoolCop Evolution 2.0" (63mm)

| | |
|--------|--|
| 592001 | Filter Connection Kit Hayward 2.0" |
| 592003 | Filter Connection Kit Astral, Espa, MMC, Certikin, SNTE & Jupiter >2007 2.0" |
| 592004 | Filter Connection Kit Kripsol, SuperPool LKR, Hayward ProSeries HL, HLTL, HLBTL 2.0" |
| 592006 | Filter Connection Kit Aqualux L2.0" |
| 592007 | Filter Connection Kit Aqualux C2.0" |
| 592009 | Filter Connection Kit Waterco Micron 2.0" |
| 592010 | Filter Connection Kit Pentair SR 2.0" |
| 592012 | Filter Connection Kit SuperPool, Emaux, VIPool, ACIS, Vitalia 2.0" |
| 592014 | Filter Connection Kit SNTE Jupiter <2007, Titan <2007 2.0" |
| 592016 | Filter Connection Kit Python, RTM 2.0" |
| 592017 | Filter Connection Kit Calplas 2.0" |
| 592018 | Filter Connection Kit Waterco Lacron CBI, PPG Deluxe 2.0" |
| 592019 | Filter Connection Kit Hayward FG, Pomaz Aqua Easy 2.0" |
| 592023 | Filter Connection Kit Waterline Capri 2.0" |

PoolCop Genesis

PoolCop Evolution

COMPATIBLE OPTIONS

| | |
|--------------------------------------|---------|
| WATER LEVEL KITS | Page 32 |
| SENSOR KITS | |
| pH+ORP | Page 32 |
| Free Available Chlorine Sensor | Page 33 |
| Proximity Sensor | Page 33 |
| TREATMENT EQUIPMENT | |
| PoolCop Lagoon | Page 34 |
| Flow Switch | Page 34 |
| Chemical Injection Pumps | Page 34 |
| Chemical Low Level Sensors | Page 35 |
| ADDITIONAL OPTIONS | |
| XM8 | Page 35 |
| Besgo Automatic Valves | Page 36 |
| Digital Flow Meter | Page 37 |
| Waste Backup Valve | Page 38 |
| Flooding Detection | Page 38 |
| Cellular Router | Page 38 |
| Energy Meter IoT | Page 39 |

WATER LEVEL KITS

Our water level kits, for either classic or overflow pools, are equipped with 4 sensors (very high, high, normal, low) to send accurate water level measurements directly to the PoolCop unit. The readings and analysis from the sensors allow PoolCop to respond in multiple ways; leak detection, weather dependent refilling, intelligent use of surplus water for backwashing (PoolCop Evolution or PoolCop Genesis equipped with an automatic valve) etc.

Water Line or Skimmer (classic pools)



520003

Water Level Kit for Water Line or Skimmer

Includes:

- Level Sensor (4 fixed levels with 20m cable)
- Solenoid Valve (24Va.c.)
- Non-return Valve, Stop Valve 1/4 Turn, Connector Kit
- 2 Saddle Clamps (D50mm and D63mm)
- Guarantee 24 months
- Eco participation 0.42€

Compatibility

PoolCop Evolution - PoolCop Genesis

Buffer Tank (overflow pools)



520001

Water Level Kit for Buffer Tank

Includes:

- 4 Buffer Tank Level Sensors (Stainless Steel with 6m cable)
- Solenoid Valve (24Va.c.)
- Non-return Valve, Stop Valve 1/4 Turn, Connector Kit
- 2 Saddle Clamps (D50mm and D63mm)
- Guarantee 24 months
- Eco participation 0.42€

Compatibility

PoolCop Evolution - PoolCop Genesis

SENSOR KITS

pH+ORP Sensors

These unique 2-in-1 sensors integrate both pH and ORP measurements, and include a floating reference to ensure the readings are accurate and reliable, without impact from electrical charges in the sampled water, and a longer life span of the sensor. Each sensor is simply installed directly in the Evolution valve or the Genesis flow cell.



530008

530008

pH+ORP Pt Sensor Kit Genesis *

Chlorine



530009

530009

pH+ORP Au Sensor Kit Genesis

Salt

* Use this sensor for chlorine, bromine, etc.

Includes:

- Floating Reference Technology Sensor with 4m cable
- Sensor Nut, Grip Washer, Compression Rings, Sensor O-Ring
- Guarantee 24 months
- Eco participation 0.12€

Compatibility

PoolCop Genesis ONLY

SENSOR KITS

| | | |
|---|--|-----------------|
|  <p>530012</p> | <p>530012 pH+ORP Pt Sensor Kit Evolution *</p> | <p>Chlorine</p> |
|  <p>530007</p> | <p>530007 pH+ORP Au Sensor Kit Evolution</p> | <p>Salt</p> |

* Use this sensor for chlorine, bromine etc.
Includes:

- Floating Reference Technology Sensor with 30cm cable
- Sensor Nut, Grip Washer, Compression Rings, Sensor O-Ring
- Guarantee 24 months
- Eco participation 0.12€

Compatibility PoolCop Evolution ONLY

Free Available Chlorine Sensor in PPM

For perfect disinfection and a regulation compliant pool, this professional grade sensor measures free available chlorine in the water (including chlorine bound in stabilizers), in parts per million, equivalent to DPD1 as measured by health authorities.

Suited to public pools and commercial aquatic venues, as well as residential pools.

| | | |
|---|--|-------------|
|  | <p>530002 Free Available Chlorine Sensor Installation Pack Evolution/Genesis</p> | <p>DPD1</p> |
| <p>Includes:</p> <ul style="list-style-type: none"> • Free Available Chlorine Sensor (Maintenance Kit Included) • Chlorine Sensor Cable, and PoolCop Modbus Adapter • Chlorine Sensor Panel • 2 x Isolation Valves, and 6m of 3/8" tubing • Guarantee Sensor & Cable - 12 months • Guarantee Flow Cell Panel - 24 months • Eco participation 0.12€ | | |
| <p>Compatibility PoolCop Evolution - PoolCop Genesis</p> | | |

Proximity Sensor

This sensor is installed in the Free Available Chlorine flow cell to ensure there is sufficient flow for an accurate chlorine measurement.

| | |
|---|--|
|  | <p>530004 Free Available Chlorine Proximity Sensor</p> |
| <p>Includes:</p> <ul style="list-style-type: none"> • Proximity Sensor with 2m Cable • Guarantee - 24 months • Eco participation 0.12€ | |
| <p>Compatibility PoolCop Evolution - PoolCop Genesis</p> | |

TREATMENT EQUIPMENT

PoolCop Lagoon

PoolCop Lagoon combines simplicity, durability and practicality, using Smart Power technology.

PoolCop Lagoon manages salt levels from 2.5 to 10 grams per liter, for pools up to 120 m³, and the intelligent control system, combined with the cell's 10,000 hour lifespan and polarity-reversal cleaning system, guarantees unrivalled resilience at a highly competitive price.



550002

PoolCop Lagoon 120

Includes:

- PoolCop Lagoon Power Pack with Mounting Bracket
- PoolCop Lagoon Cell with Cable, Collars and 2 Reductions 63/50 mm
- Online User Manual
- Guarantee Power Pack & Cell - 24 months
- Eco participation 0.42€

Compatibility

PoolCop Evolution - PoolCop Genesis

Flow Detection

This simple flow detector informs the PoolCop unit of flow or no-flow in the pipeline.



540004

Flow Switch Kit

Includes:

- Flow Switch with 4m Cable
- 3/4" Male-Male Adapter
- Guarantee - 24 months
- Eco participation 0.42€

Compatibility

PoolCop Evolution - PoolCop Genesis

Dosing Pumps

This high quality injection pump ensures precise chemical handling with zero contamination, thanks to three rollers to prevent siphoning, overdosing and loss of priming, and a Santoprene tubing ideal for dispensing pH or chlorine products.



550013

Peristaltic Pump Kit 3.0L/h

Includes:

- Peristaltic Pump 230Va.c. with ON/OFF Switch and 2.5 m Cable
- Wall Mount with Stirrup, 2 Screws and Wall Plugs
- Foot Filter
- Suction/Injection Tube (4m)
- Injection Valve
- 2 Saddle Clamps (D50mm and D63mm)
- Guarantee Avady - 24 months
- Eco participation 0.42€

Compatibility

PoolCop Evolution - PoolCop Genesis

TREATMENT EQUIPMENT

Drum Level Sensors

The drum level sensors are used for precise monitoring and to alert when the level is low to empty, ensuring correct disinfection at all times and consistent water quality.

The suction wand is used for 20 litre drums and the weighted sensor caters for all drum and tank volumes.

Drum Level Sensor with Suction Wand



550011 **Suction Wand 50cm with level detection** 50cm

550012 **Suction Wand 80cm with level detection** 80cm

Includes:

- Suction Wand with Non-Return Valve and Float Level Sensor
- Suction Tube (4m)
- Guarantee Avady - 24 months
- Eco participation 0.12€

Compatibility PoolCop Evolution - PoolCop Genesis

Drum Level Sensor - Weighted



550010 **Level Sensor, Weighted**

Includes:

- Float Level Sensor for Chemical Low Level Detection
- 4m Cable
- Guarantee Avady - 24 months
- Eco participation 0.12€

Compatibility PoolCop Evolution - PoolCop Genesis

ADDITIONAL OPTIONS

Extension Module

More automated pool control means less pool hassle. The PoolCop XM8 increases the number of relays and inputs, allowing additional equipment to be managed directly by the PoolCop.

It is automatically detected, needing no complicated configuration, and relays the information of all additional features to the PoolCop interface.



590008 **PoolCop XM8 Extension Module**

Includes:

- XM8 Module with Cable
- 8 Additional Relays/Inputs
- Guarantee - 24 months
- Eco participation 0.12€

Compatibility PoolCop Evolution - PoolCop Genesis

ADDITIONAL OPTIONS

Automatic Pneumatic Valves

Besgo valves are built using the highest quality components available, and are easy to control allowing safe automated filtration, backwashes, water attractions and more.

With a lower pressure drop than traditional 6-way valves the Besgo 5-way valve can be fitted directly on the filter or wall mounted with 90° rotating connections. The valve returns automatically to 'Filtration Mode' in the case of electrical failures, and the filtration pump does not need to be stopped during the switchover. The valve works automatically and is operated by either water or air pressure via connection to the water network or a small air compressor.

The addition of a Besgo 3-way valve to a Besgo 5-way valve ensures backwashing is completed with totally automated filter rinsing. The valve also provides higher pressure for optimal backwash velocity directly from the main drain, using the cleanest water from your pool.

The 3-way valve can also be installed with a PoolCop Evolution for additional suction to the backwash via Evolution's automatic valve.



BESGO 5-WAY VALVES

| | | |
|--------|---|-------|
| 510018 | Besgo Backwash Valve DN40/d50mm - 125mm (Astral, Behncke, Fiberplast) | 230 V |
| 510019 | Besgo Backwash Valve DN40/d50mm - 190mm (Calplas, Triton) | 230 V |
| 510001 | Besgo Backwash Valve DN50/D63mm - 140mm (Behncke) | 230 V |
| 510002 | Besgo Backwash Valve DN50/D63mm - 150m (Hayward) | 230 V |
| 510003 | Besgo Backwash Valve DN50/D63mm - 190mm (Calplas, Triton) | 230 V |
| 510004 | Besgo Backwash Valve DN50/D63mm - 215mm (Lacron) | 230 V |
| 510005 | Besgo Backwash Valve DN50/D63mm - 220mm (Fiberplast) | 230 V |
| 510006 | Besgo Backwash Valve DN50/D63mm - 230mm (Astral) | 230 V |
| 510024 | Besgo Backwash Valve DN65/d75mm - 220mm (Calplas, Fiberplast) | 230 V |
| 510025 | Besgo Backwash Valve DN65/d75mm - 270mm (Astral) | 230 V |
| 510026 | Besgo Backwash Valve DN80/d90mm - 300mm (Calplas) | 230 V |
| 510027 | Besgo Backwash Valve DN100/d110mm - 360mm | 230 V |



BESGO 3-WAY VALVE

| | | |
|--------|---|-------|
| 510020 | 3-Way Besgo Aspiration Valve DN40/D50mm | 230 V |
| 510007 | 3-Way Besgo Aspiration Valve DN50/D63mm | 230 V |
| 510021 | 3-Way Besgo Aspiration Valve DN65/D75mm | 230 V |
| 510022 | 3-Way Besgo Aspiration Valve DN80/D90mm | 230 V |
| 510023 | 3-Way Besgo Aspiration Valve DN100/D110mm | 230 V |

ADDITIONAL OPTIONS

BESGO ACCESSORIES



510008



510010

| | | |
|---------------|---|-------|
| 510008 | Compressor Einhell, 0,5 kW, 230 V | 230 V |
| 510009 | Connection Kit for Compressor ¼"IG : 1 Besgo Valve | |
| 510010 | Connection Kit for Compressor ¼"IG : 2 Besgo Valves | |
| 510011 | Connection Kit for Compressor ¼"IG : 3 Besgo Valves | |
| 510012 | Valve Adapter Set 48-50mm for Triton40 + TR60 | |
| 510013 | Valve Adapter Set 60-63mm for Triton100 + TR140 | |
| 510014 | Solenoid Valve 3/2 230V/50 Hz 1/4 for DN 40/50/65 - 2mm hole | |
| 510015 | Solenoid Valve 4/2 230V/50 Hz 1/4 for old models DN 800 and 100 and new model DN125 | |
| 510016 | Roll 5m PE tube 6/4mm | |
| 510017 | Solenoid 24 VAC | |
| 510028 | Solenoid 24 VDC | |
| Compatibility | PoolCop Core - PoolCop Infinity | |

Digital Flow Meter

The Digital FlowVis® Kit is designed to provide real-time water flow rate readings remotely on any connected device, and incorporates a range of features and functions.

Minimum and maximum flow alarms can be set from the configuration tab in the PoolCop interface, to ensure that each system operates as required, with exceptional accuracy of over 98%.

The digital flow meter is compatible with the entire FlowVis® range (from 1.5" to 8")*, is easy to install and requires no calibration.



540001 Digital FlowVis® Kit Evolution/Genesis

Includes:

- Digital Sensor compatible with FlowVis 2.0"
- 8m Cable
- 2 Extended Length Screws
- Guarantee - 24 months
- Eco participation 0.12€



540003 FlowVis® Flow Meter Kit Evolution/Genesis

Includes:

- FlowVis® Flow Meter 2.0"
- FlowVis® Digital Sensor
- 8m Cable
- 2 Extended Length Screws
- Pipe Reduction PVC MF63x50
- Guarantee - 24 months
- Eco participation 0.12€

Compatibility PoolCop Evolution - PoolCop Genesis

ADDITIONAL OPTIONS

Waste Backup Valve

This waste backup valve secures installations from unnecessary water loss, notably buffer tank pools or low level pump houses, with pumps installed below water level.



590010

Waste Backup Valve Kit

NF 24Va.c.

Includes:

- Valve NC (Normally CLOSED), Solenoid (24Va.c.)
- Discharge Vinyl Tubing (3 meters)
- 2 PVC Union Set with D63mm to D50mm Adapter
- 2 Saddle Clamps (D50mm and D63mm)
- Guarantee - 24 months
- Eco participation 0.42€

Compatibility

PoolCop Evolution - PoolCop Genesis

Flooding Detection

Simple, effective and robust, the flooding detector is used for all underground equipment rooms or areas with high flooding risk. It simply plugs into any PoolCop Evolution, PoolCop Genesis or PoolCop XM8, requiring no additional installation or configuration.

PoolCop immediately alerts as soon as there is more than one centimetre of water in the area to be protected, allowing for quick intervention to avoid electrical risks or equipment damage.



590001

Flooding Sensor Kit

Includes:


- Flooding Sensor with 4m Cable
- PVC Cross Base
- Guarantee - 24 months
- Eco participation 0.12€

Compatibility

PoolCop Evolution - PoolCop Genesis

Cellular Router

This industrial router ensures remote monitoring and real-time visibility to a pool 24/7/365 by providing direct high speed connection to the PoolCop Cloud and a faster response for data and control.



570002

Cellular Router Module EU

5-36 VDC

Includes:

- Cellular router, with 230 Va.c. Power Supply
- External High Gain Antenna
- RJ45 Cable (1m)
- Guarantee - 24 months
- Eco participation 0.08€

Compatibility

PoolCop Evolution - PoolCop Genesis

570004

M2M Data plan 7 GB (net price)

(approx. 12 months of standard use)

ADDITIONAL OPTIONS

Energy Meter IoT

The energy meter precisely measures power consumption of all connected equipment, and relays the data to the PoolCop Cloud and BigPool database for storage, analysis and display.

The data provides immediate visibility to poor functioning or damaged equipment, allowing for prompt intervention, and is a means to monitor actual electrical consumption to intelligently optimize your energy use.



| | | |
|--------|------------------------------------|------|
| 590002 | Energy Meter IoT Monophase | 100A |
| 590004 | Energy Meter IoT Multiphase | 65A |

Includes:

- Energy Meter DIN Mount, Modbus
- 4m Cable
- Guarantee - 24 months
- Eco participation 0.12€

Compatibility PoolCop Evolution - PoolCop Genesis

ECO-PARTICIPATION, WEEE

Certain products are subject to "Eco-participation" in France, which contributes to the financing of the collection and the recycling of former equivalent products (directive 2006/96/CE). Our partner for the collection and recycling of eligible products is Eco-systèmes.


Following decree No. 2009-1139 dated 22 September 2009, with regards to placing dry cell batteries and storage batteries on the market, as well as the elimination of used dry cell batteries and storage batteries, PCFR has partnered with an organization dedicated to the recycling of dry cell batteries and portable storage batteries. Our partner is SCRELEC Environnement.



POOLCOP RESSOURCES

POOLCOP APPS & CLOUD INTERFACES

Simple and intuitive, our Apps and Interfaces provide crucial information when and where you need it the most, with realtime and historical data at your fingertips. Receive proactive notifications and guidance, as well as control of all pool functions on any computer, tablet, and smartphone.




MyPoolCop

Designed for pool owners with a simplified interface, including the pool status (filtration pressure, water level, treatment and temperature), notifications for filter cleaning, leak detection and low chemical levels, access and quick commands to all pool features (lights, heating, fountains, etc.) as well as garden features, and water analysis results uploads. The App also allows for instant feedback to and from your clients.

ProPoolCop

Optimized for your company, your managers, and your pool technicians, with full data and remote control of all automation, configurations and settings, along with data history for real-time diagnostics, and analytics. It is a single hub for instant access to client information, team members and service planning, and provides you with informative notifications and alerts for quick intervention and reassurance for you clients.

DIGITAL RESSOURCES



WWW.POOLCOP.COM

Our website is a direct source of information for pool owners and professionals alike.

Professionals have a dedicated space to access all technical documents, find quick answers to simple questions, sign up for training sessions, and request to become installers.

DOWNLOADS



Quick and simple access to all instruction manuals, exploded parts and technical sheets are available via this QR code, or in the Pool Professionals page on the website.

POOLCOP BENEFITS FOR POOL PROFESSIONALS



REMOTELY MONITOR YOUR
POOL PORTFOLIO STATUS



RECEIVE IMMEDIATE ALERTS
FOR A TIMELY RESPONSE



PLAN YOUR SERVICE
CALLS PROACTIVELY



CONFIGURE EVERY POOL
TO WORK AT ITS BEST



SAVE TIME AND EXPENSES
ON UNNECESSARY TRAVEL



PROVIDE INNOVATIVE
RESPONSES TO
CUSTOMERS DEMANDS

WE ARE HERE TO HELP YOU

Technical Support

Quality technical support is central to what we do. Based in the PoolCop production facility, the team works with pool professionals, analyzing individual pool data to quickly diagnose any issue.

The technical support staff liaise with our commercial and R&D teams, ready to guide pool professionals in understanding how efficiently every pool in their portfolio is running.

Installation and Set Up


The customer support service is available to assist pool professionals through the initial PoolCop installation, configuring the equipment according to each individual pool's requirements.

We can work with you to set parameters to suit your needs and follow your initial testing to be sure everything is working perfectly.



**GENERAL
TERMS AND
CONDITIONS
OF SALE**

poolcop.com/general-conditions-of-sale/



www.poolcop.com

contact@poolcop.com - +33 (4) 90 09 54 26

PCFR PoolCop

PCFR
130 Boulevard du Nord
84160 CUCURON, France