



# PoolCop

Always. Better. Blue.



## CATALOGUE 2025

# PCFR PoolCop



## Our Vision

**To bring smart, sustainable and evolutive solutions to the world of aquatics.**

At PCFR PoolCop, we've been developing intelligent technologies for more than 15 years, enabling us to offer solutions for managing the entire pool environment proactively and autonomously.

We innovate, design, develop and manufacture pool equipment and appliances, challenging traditional thinking to offer a totally new experience to pool owners and professionals, while keeping a watchful eye on ecological and economic issues.

Our team of experts, all specialists in their fields, works tirelessly and in close collaboration with pool professionals on an international scale, to respond to today's requirements, and anticipate tomorrow's needs. Reactivity, professionalism, expertise and an open mind: it's by combining these qualities that we are able to develop the most advanced functionalities.

## Business Hours

**Monday – Friday 09h00 - 12h00 and 14h00 - 17h00 CET**  
**Closed on French public holidays**

## Catalogue Notes

Images in this catalogue show typical products, actual components may vary; images are non-contractual. We have a permanent research and development program, and consequently we reserve the right to make changes and improvements to any of the products described in this catalogue, without prior notification. Any mention in this catalogue of the "swimming pool owner" refers to the owner of the product(s). The owner may designate a representative to act on his behalf but remains responsible for the decisions and actions of this representative

All prices are recommended public price EXW excluding VAT in EUR (PPHT€)

# Contents

POOLCOP: ONE CONCEPT, TWO SOLUTIONS .....	Page 4
THE BEAUTY OF THE CONNECTED POOL .....	Page 6
POOLCOP BENEFITS FOR POOL PROFESSIONALS .....	Page 7
NEW IN 2025 .....	Page 8
POOLCOP GENESIS .....	Page 10
Pre-Mounted Panels .....	Page 12
Packs .....	Page 15
Modular .....	Page 16
POOLCOP EVOLUTION .....	Page 17
Pre-Mounted Panels .....	Page 19
Packs .....	Page 20
Modular .....	Page 21
FILTER CONNECTION KITS .....	Page 22
POOLCOP OPTIONS	
WATER LEVEL KITS .....	Page 24
SENSOR KITS for pH+ORP .....	Page 24
TREATMENT EQUIPMENT	
PoolCop Ocean .....	Page 25
Conductivity Sensor .....	Page 25
PoolCop Lagoon .....	Page 26
Flow Detection .....	Page 26
Chemical Injection Pumps .....	Page 26
Chemical Low Level Sensors .....	Page 27
ADDITIONAL OPTIONS	
Extension Module .....	Page 27
Besgo Automatic Valves .....	Page 28
Digital Flow Meter .....	Page 29
Waste Back Up Valve .....	Page 29
Flooding Detector .....	Page 30
Cellular Router .....	Page 30
Energy Meter IoT .....	Page 30
Free Available Chlorine Sensor .....	Page 31
Proximity Sensor .....	Page 31
DIGITAL RESSOURCES & DOWNLOADS .....	Page 33
GENERAL INFORMATION .....	Page 33

# PoolCop



## ONE CONCEPT, TWO SOLUTIONS

**Cutting-edge technologies and the Big Data Cloud platform bring an innovative solution to swimming pool maintenance and management.**

Using advanced sensors and smart algorithms, PoolCop monitors what's happening in real-time, and analyzes the information it collects and logs. Equipped with a unique machine-learning capability, PoolCop progressively understands and predicts each individual pool's behaviour, and calculates the best care routine accordingly.

Instantaneous adjustments and intelligent features keep water consumption, energy and chemical products to a strict minimum, prolonging the lifespan of equipment, and transforming pool maintenance from reactive to proactive.

Whether it's a private or public pool, a new build, renovation or upgrade, PoolCop simplifies the daily tasks for pool professionals and brings pleasure back to pool owners, all from one control unit. But beyond that, the system is constantly addressing the ever growing environmental issues in order to be one step ahead of demands and provide smart solutions well before they become mandatory.

# INCORPORATED FEATURES

## Standard Features



Fully open system



Monitoring and control via PoolCop Apps & Cloud Interfaces



Pool portfolio remote management



Unlimited water volume (Genesis)



Flow rate up to 30 m³/h (Evolution)



Integrated RJ45 and Modbus communications

## Key Functionalities



Filtration programming



Pump control and variable speed adjustment



Automatic filter cleaning



Water level control - refill and reduction



Water temperature control



Water pressure monitoring



Pool cover monitoring and control



Control of additional equipment: cleaner, lighting, jet stream, fountain, heating...



Antifreeze protection

## Water Treatment



Water balance control and TA



pH control



Disinfection control



Combined sensor for pH and ORP with floating earth technology



Overdosing security



Drum level control

## Smart Features



Early leak detection



Pool light control based on ephemeris



Weather dependent automatic refilling



Water analysis via Bluetooth



Smart floating setpoint



Remote sensor calibration

## Integrated Technology



Smart algorithms and machine learning technology



Cloud AI technology



Automatic firmware updates

# THE DATA DON'T LIE

## CLOUD TECHNOLOGY

Increase pool performance  
each and every day.

Real time service insights into essential and critical functions, combined with data trending, brings instantaneous visualization and service-focused analysis of the status of all pools, spas and aquatic facilities/venues.

The PoolCop Cloud, powered by BigPool and FlowEngine, is able to provide the answer before the question has even arisen, using proactive and predictive big data modeling and smart learning AI.

## PRODUCT ADVANTAGES

- Real time control and data for all residential and commercial pools and spas.
- Equipment agnostic for universal installation, in any pool, with any equipment, anytime, anywhere.
- Cellular connection option for constant reliable connection, because when it's mission critical, you need the data.
- Long-life sensors to reduce the need to calibrate, and using "floating reference" technology.
- Always up to date via automatic OTA firmware updating.
- Designed to be repaired not replaced, with spares and upgrades that significantly prolong the lifespan of the equipment.
- Add additional features such as water level control, lighting control, temperature control, flooding detection, chlorine ppm sensors, energy meter, digital flow, and much more.

## POOLCOP BENEFITS FOR POOL PROFESSIONALS



REMOTELY MONITOR YOUR  
POOL PORTFOLIO STATUS



RECEIVE IMMEDIATE ALERTS  
FOR A TIMELY RESPONSE



PLAN YOUR SERVICE  
CALLS PROACTIVELY



CONFIGURE EVERY POOL  
TO WORK AT ITS BEST



SAVE TIME AND EXPENSES  
ON UNNECESSARY TRAVEL




PROVIDE INNOVATIVE  
RESPONSES TO  
CUSTOMERS DEMANDS



# POOLCOP APPS & CLOUD INTERFACES

Simple and intuitive, our Apps and Interfaces provide crucial information when and where you need it the most, with realtime and historical data at your fingertips. Receive proactive notifications and guidance, as well as control of all pool functions on any computer, tablet, and smartphone.



## MyPoolCop

Designed for pool owners with a simplified interface, including the pool status (filtration pressure, water level, treatment and temperature), notifications for filter cleaning, leak detection and low chemical levels, access and quick commands to all pool features (lights, heating, fountains, etc.) as well as garden features, and water analysis results uploads. The App also allows for instant feedback to and from your clients.

## ProPoolCop

Optimized for your company, your managers, and your pool technicians, with full data and remote control of all automation, configurations and settings, along with data history for real-time diagnostics, and analytics. It is a single hub for instant access to client information, team members and service planning, and provides you with informative notifications and alerts for quick intervention and reassurance for you clients.

# WE ARE HERE TO HELP YOU

## Commercial Support

Our commercial team is ready to help you, the pool professional, to formulate your customer offer.

PoolCop's qualified experts are on hand with comprehensive advice on a range of solutions, from the simplest installation to complex commercial multi-filter, multi-pump pool configurations. PoolCop has the products, options, and features to handle the most demanding situations.

## Technical support

Quality technical support is central to what we do. Based in the PoolCop production facility, the team works with pool professionals, analyzing individual pool data to quickly diagnose any issue.

The technical support staff liaise with our commercial and R&D teams, ready to guide pool professionals in understanding how efficiently every pool in their portfolio is running.

## Installation and Set Up

The customer support service is available to assist pool professionals through the initial PoolCop installation, configuring the equipment according to each individual pool's requirements.

We can work with you to set parameters to suit your needs and follow your initial testing to be sure everything is working perfectly.

# NEW IN 2025




## AUTOMATIC PNEUMATIC VALVES

### COMPLETELY AUTOMATED WATER CIRCULATION AND FILTER CLEANING WITH BESGO AND POOLCOP


Whatever  
the pool size,  
whatever the  
flow rate



**BACKWASHES  
FROM THE BALANCE TANK**




**BACKWASHES  
DIRECTLY FROM THE POOL**




**BACKWASH VIA MAIN DRAIN OR SKIMMER / BUFFER TANK**

**ECO MODE**



Suction from main drain at night and on cooler days  
**No evaporation - No energy losses!**

**NORMAL MODE**



Suction from the overflow channels on sunny days  
**For optimal hydraulics**

**FILTRATION VIA MAIN DRAIN OR SKIMMER / BUFFER TANK**






## BESGO 5-WAY VALVE

### FOR FILTRATION AND BACKWASHING

Adaptable to all sand filters and boasting excellent installation versatility, the Besgo 5-way valve provides fully automated filtration and backwashing in a simple, efficient and safe way.

Filtration, both time and speed, as well as automatic backwashes directly from the pool or balance tank, ensure optimal water quality while using minimal energy consumption, be it a skimmer or buffer tank installation.

The Besgo 5-way valve is fully compatible with a PoolCop Genesis and is configured and controlled remotely via the PoolCop interface.



## BESGO 3-WAY VALVE

### FOR SUCTION AND RINSING

The Besgo 3-way valve is used for bottom drain and buffer tank or skimmer suction, as well as automatic filter rinsing.

With a Besgo 3-way valve water filtration can be switched automatically according to the air temperature, and the switchover between two water features is possible with only one pump.

The economy mode via the PoolCop configuration has the additional value of reduced energy loss due to evaporation with overflow pools. In skimmer pools, and especially in pools with slim skimmers, using a Besgo 3-way valve will ensure sufficient pool water is available for backwashing.

*See page 28*

# PoolCop Genesis



## IMPRESSIVE COMPATIBILITY AND ESSENTIAL FEATURES FOR A FULLY AUTOMATED POOL

PoolCop Genesis is an integral control system, managing all the daily operations of a swimming pool. What makes it unique is its flexibility.

As well as the essential functions, such as filtration, water temperature, water level, water balance, and disinfection, PoolCop Genesis controls all types of filters, including cartridge, along with third party automatic valves for intelligent filter cleaning.

This totally open and highly compatible system is the perfect solution for all pool dimensions, from spas to olympic sized pools, with no limitations on flow rates.

The disinfection is accurately managed via the unique 2-in-1 pH+ORP sensor with floating reference, which can be fitted in the flow cell for vertical or horizontal installations.

All the smart features, data analysis and machine learning are included, making PoolCop Genesis a powerhouse genius for complete pool automation, in both residential and commercial swimming pools and spas.


*See page 5 for the list of incorporated features*




## PRODUCT ADVANTAGES

- Open system, compatible with all third party equipment
- All spas and pools, both residential and commercial, and all flow rates
- Compatible with all filter types
- Controls VS pumps and frequency inverters
- Controls third party automatic valves
- Display and control on the unit and via the dedicated interface
- pH+ORP sensor with floating reference
- 8 programmable relays:  
2 preprogrammed  
6 multifunction auxiliaries
- 2 programmable inputs
- Accessoriseable with our complementary range

TYPICAL CHLORINE INSTALLATION



TYPICAL ELECTROLYSIS INSTALLATION



## TECHNICAL SPECIFICATIONS

REFERENCE	GNA30AA-D
MAIN POWER SUPPLY, CONSUMPTION	110-230Va.c. / 50Hz 0.4 A
PACK CONTENTS	<ul style="list-style-type: none"> <li>• Data control and communication unit (DCCU) with 8 relays, 2 inputs</li> <li>• Flow cell with water pressure and water temperature sensors, and housing for a 2-in-1pH+ORP sensor (sensor sold separately)</li> <li>• Air temperature sensor</li> <li>• Accessories pack</li> </ul>
DIMENSIONS	DCCU : 375 x 120 x 285 mm - 4.3 Kg
GUARANTEE	24 months
DISPLAY AND CONTROLS	On the DCCU, via web interfaces
CCU PROTECTION	IP54
OPERATING TEMPERATURE	-5°C to +45°C
PH AND ORP SENSORS "FLOATING REFERENCE"	SO4912 for CL injection or Brome; SO4913 for Electrolysis
MEASUREMENT RANGES	Air temperature: -30°C to +65°C Water temperature: 0°C to +60°C Water pressure: -0.9 to 2.5 bar Water level: very high - high - normal - low pH S.U.: 4-14 ORP/Redox: 0 to 999mV Consumables level: normal - low
PROGRAMMABLE RELAYS	Pump: 1 relay, 0-230Va.c. 6A Regulation pH: 1 relay, 0-230V.a.c. 6A Auxiliaries: 6 multifunctional relays, 0-230Va.c. 6A
PROGRAMMABLE INPUTS	Inputs: 2, potential free, open/closed action
COMPLIANCE, ACCREDITATION, CERTIFICATION	CE, UKCA, WEEE (UL & NSF 50 Certified versions available)
INSTALLATION COMPATIBILITY	New construction, renovation, or upgrade Residential and commercial pools and spas
COMPATIBLE OPTIONS	<ul style="list-style-type: none"> <li>• Water level kit</li> <li>• Treatment packs</li> <li>• XM8 extension module</li> <li>• Flow meter</li> <li>• Waste backup valve</li> <li>• Flooding detection</li> <li>• Cellular router</li> <li>• IoT Energy meter</li> <li>• Free available chlorine sensor</li> <li>• Third party automatic valves (Besgo)</li> <li>• Variable speed pumps</li> <li>• Panel assembly</li> </ul>



# POOLCOP GENESIS Pre-Mounted Panels



## POOLCOP GENESIS PANEL with Dosing Pumps

### PNG2001-D Panel Pack PoolCOP Genesis Chlorine

Includes:

- Data Control Communication Unit DCCU (230Va.c.), 8 Relays, 2 Inputs
- Flow Cell with Water Pressure and Temperature Sensors, plus placement of pH+ORP Sensor
- Air Temperature Sensor
- pH+ORP Pt Sensor (chlorine)
- 2 Peristaltic Pump Kits 3 l/hr, and 2 Weighted Level Sensors
- Accessories Pack
- Guarantee: see products in the pack for details
- Eco participation 0.12€



## POOLCOP GENESIS PANEL with Dosing Pumps and XM8

### PNG2002-D Panel Pack PoolCOP Genesis Chlorine + XM8

Includes:

- Data Control Communication Unit DCCU (230Va.c.), 8 Relays, 2 Inputs
- Flow Cell with Water Pressure and Temperature Sensors, plus placement of pH+ORP Sensor
- Air Temperature Sensor
- pH+ORP Pt Sensor (chlorine)
- 2 Peristaltic Pump Kits 3 l/hr, and 2 Weighted Level Sensors
- PoolCOP XM8 Module
- Accessories Pack
- Guarantee: see products in the pack for details
- Eco participation 0.12€



## POOLCOP GENESIS PANEL with Dosing Pumps, XM8 and FlowVis® Flow Meter

### PNG2003-D Panel Pack PoolCOP Genesis Chlorine + XM8 + FlowVis

Includes:

- Data Control Communication Unit DCCU (230Va.c.), 8 Relays, 2 Inputs
- Flow Cell with Water Pressure and Temperature Sensors, plus placement of pH+ORP Sensor
- Air Temperature Sensor
- pH+ORP Pt Sensor (chlorine)
- 2 Peristaltic Pump Kits 3 l/hr, and 2 Weighted Level Sensors
- PoolCOP XM8 Module
- FlowVis® Flow Meter 2.0" and FlowVis® digital sensor with 8m cable, 2 extended length screws and PVC pipe reduction
- Accessories Pack
- Guarantee: see products in the pack for details
- Eco participation 0.12€

# POOLCOP GENESIS Pre-Mounted Panels



## POOLCOP GENESIS PANEL with Electrolysis PoolCOP Lagoon

### PNG3001-D Panel Pack PoolCOP Genesis Lagoon

Includes:

- Data Control Communication Unit DCCU (230Va.c.), 8 Relays, 2 Inputs
- Flow Cell with Water Pressure and Temperature Sensors, plus placement of pH+ORP Sensor
- Air Temperature Sensor
- pH+ORP Au Sensor (salt)
- 1 Peristaltic Pump Kit 3 l/hr, and 1 Weighted Level Sensors
- PoolCOP Lagoon Power Pack (230 Va.c.)
- PoolCOP Lagoon Cell
- Accessories Pack
- Guarantee: see products in the pack for details
- Eco participation 0.12€



## POOLCOP GENESIS PANEL with Electrolysis PoolCOP Lagoon and XM8

### PNG3002-D Panel Pack PoolCOP Genesis Lagoon + XM8

Includes:

- Data Control Communication Unit DCCU (230Va.c.), 8 Relays, 2 Inputs
- Flow Cell with Water Pressure and Temperature Sensors, plus placement of pH+ORP Sensor
- Air Temperature Sensor
- pH+ORP Au Sensor (salt)
- 1 Peristaltic Pump Kit 3 l/hr, and 1 Weighted Level Sensors
- PoolCOP Lagoon Power Pack (230 Va.c.) with Cell
- PoolCOP XM8 Module
- Accessories Pack
- Guarantee: see products in the pack for details
- Eco participation 0.12€



## POOLCOP GENESIS PANEL with Electrolysis PoolCOP Lagoon, XM8 and FlowVis® Flow Meter

### PNG3003-D Panel Pack PoolCOP Genesis Lagoon + XM8 + FlowVis

Includes:

- Data Control Communication Unit DCCU (230Va.c.), 8 Relays, 2 Inputs
- Flow Cell with Water Pressure and Temperature Sensors, plus placement of pH+ORP Sensor
- Air Temperature Sensor
- pH+ORP Au Sensor (salt)
- 1 Peristaltic Pump Kit 3 l/hr, and 1 Weighted Level Sensors
- PoolCOP Lagoon Power Pack (230 Va.c.) with Cell
- PoolCOP XM8 Module
- FlowVis® Flow Meter 2.0" and FlowVis® digital sensor with 8m cable, 2 extended length screws and PVC pipe reduction
- Accessories Pack
- Guarantee: see products in the pack for details
- Eco participation 0.12€



# POOLCOP GENESIS Pre-Mounted Panels

## POOLCOP GENESIS PANEL with Electrolysis PoolCop Ocean

PNG3005-D Panel Pack PoolCop Genesis  
Ocean 60

PNG3006-D Panel Pack PoolCop  
Genesis Ocean 120

Includes:

- Data Control Communication Unit DCCU (230Va.c.), 8 Relays, 2 Inputs
- Flow Cell with Water Pressure and Temperature Sensors, plus placement of pH+ORP Sensor
- Air Temperature Sensor
- pH+ORP Au Sensor (salt)
- 1 Peristaltic Pump Kit 3 L/hr, and Suction Wand 50cm with level detection
- PoolCop Ocean Power Pack and Cell (230 Va.c.)
- ModBus Control Cable, and Safety Cable
- Accessories Pack
- Guarantee: see products in the pack for details
- Eco participation 0.12€



# POOLCOP GENESIS Packs

## POOLCOP GENESIS with Chemical Injection



GNA30CL-D

**Pack PoolCop Genesis Chlorine**

110-230Va.c.

Includes:

- Data Control Communication Unit DCCU (230Va.c.), 8 Relays, 2 Inputs
- Flow Cell with Water Pressure and Temperature Sensors, plus placement of pH+ORP Sensor
- Air Temperature Sensor
- pH+ORP Pt Sensor (chlorine)
- 2 Kits Peristaltic Pump 3 l/hr, and 2 Kits Suction Wand 50cm
- Accessories Pack
- Guarantee: see products in the pack for details
- Eco participation 0.12€

## POOLCOP GENESIS with Electrolysis



GNA30LN12-D

**Pack PoolCop Genesis Lagoon 120**

110-230Va.c.

Includes:

- Data Control Communication Unit DCCU (230Va.c.), 8 Relays, 2 Inputs
- Flow Cell with Water Pressure and Temperature Sensors, plus placement of pH+ORP Sensor
- Air Temperature Sensor
- pH+ORP Au Sensor (salt)
- Kit Peristaltic Pump 3 l/hr, and Kit Suction Wand 50cm
- PoolCop Lagoon
- Accessories Pack
- Guarantee: see products in the pack for details
- Eco participation 0.12€

## POOLCOP GENESIS with Electrolysis + Hydrolysis



GNA30OC06-D

**Pack PoolCop Genesis Ocean 60**

110-230Va.c.

GNA30OC12-D

**Pack PoolCop Genesis Ocean 120**

110-230Va.c.

Includes:

- Data Control Communication Unit DCCU (230Va.c.), 8 Relays, 2 Inputs
- Flow Cell with Water Pressure and Temperature Sensors, plus placement of pH+ORP Sensor
- Air Temperature Sensor
- pH+ORP Au Sensor (salt)
- Kit Peristaltic Pump 3 l/hr, and Kit Suction Wand 50cm
- PoolCop Ocean
- Accessories Pack
- Guarantee: see products in the pack for details
- Eco participation 0.12€

# POOLCOP GENESIS Modular



GNA30AA-D

PoolCOP Genesis

110-230Va.c

Includes:

- Data Control Communication Unit DCCU (230Va.c.), 8 Relays, 2 Inputs
- Flow Cell with Water Pressure and Temperature Sensors, plus placement of pH+ORP Sensor
- Air Temperature Sensor
- Accessories Pack
- Guarantee 24 Months
- Eco participation 0.12€

## Water Level



NI5100



NI4100

NI5100

Water Level Kit for Waterline or Skimmer

NI4100

Water Level Kit for Buffer Tank

## Sensor Kits



SO4912

pH+ORP Pt Sensor Kit PoolCOP Genesis

Chlorine

SO4913

pH+ORP Au Sensor Kit PoolCOP Genesis

Salt

## Water Treatment



OC0060



LN4000

OC0060

PoolCOP Ocean 60

OC0120

PoolCOP Ocean 120

OC0200

PoolCOP Ocean 200

OC1002

PoolCOP Ocean Conductivity Sensor Kit

LN4000

PoolCOP Lagoon 120

GN4204

Flow Switch Kit

PD2030

Peristaltic Pump Kit 3.0 L/h

PD2010

Suction Wand 50cm with level detection

PD2011

Suction Wand 80cm with level detection

PD2009

Level Sensor - Weighted

## Additional Options



AC6800-D



AC5405

AC6800-D

PoolCOP XM8 Extension Module

AC5405

FlowVis® Flow Meter Kit 2.0"

VN3004

Waste Backup Valve Kit

AC1015

Flooding Sensor Kit

PI5100-D

Cellular Routeur Module EU

AC5610

Energy Meter IoT Monophase

AC5620

Energy Meter IoT Multiphase

AC5302

Free Available Chlorine Sensor Installation Pack EU

AC5305

Free Available Chlorine Proximity Sensor



VN3004



PI5100-D

# PoolCop Evolution



## THE A-TO-Z SOLUTION FOR POOL MANAGEMENT

Whether it's filtration, water temperature, lighting, water level, water balance or disinfection, all functions are controlled, managed and optimised.

PoolCop Evolution then brings a new dimension to pool maintenance by monitoring the condition of the filter and intervening when needed.

Filter cleaning is the critical task for clean and healthy water, yet often neglected as it requires manual intervention in the equipment room. Evolution not only manages the backwash as and when needed, but also intelligently by using excess water in the pool when possible.

It's automatic 6-way valve system is compatible with all side mounted filters dedicated to granular media, such as sand or glass, and is designed to handle flow rates up to 30 cubic metres per hour.

The disinfection is accurately managed via a unique 2-in-1 pH+ORP sensor with a floating reference, installed in the valve.

All this, combined with the smart features, data analysis and machine learning, make PoolCop Evolution the comprehensive solution for complete pool automation.


*See page 5 for the list of incorporated features*




## PRODUCT ADVANTAGES

- Open system, compatible with all third party equipment
- Compatible with SIDE filters (swimming pool and SPA), residential or commercial, up to 30 m<sup>3</sup>/h
- Automatic filter cleaning
- Controls VS pumps and frequency inverters
- Data display and equipment control on the valve unit and via the dedicated interface
- pH+ORP sensor with floating reference
- 8 programmable relays:
  - 2 preprogrammed
  - 6 multifunction auxiliaries
- 2 programmable inputs
- Accessoriable with our complementary range

TYPICAL CHLORINE INSTALLATION



TYPICAL ELECTROLYSIS INSTALLATION



## TECHNICAL SPECIFICATIONS

**PoolCop Evolution 1.5"**
**PoolCop Evolution 2.0"**

REFERENCE	ESB15AA-D	ESB20AA-D
MAXIMUM FLOW	16m³/hr	30m³/hr
MAIN POWER SUPPLY, CONSUMPTION	110-230Va.c. / 50Hz 0.4 A	
BACKUP BATTERY POWER SUPPLY	12VDC 1.2Ah SLA	
PACK CONTENTS	<ul style="list-style-type: none"> <li>• Valve data unit (VDU) with water pressure and water temperature sensors and housing for a 2-in-1 pH+ORP sensor (sensor sold separately)</li> <li>• Control communication unit (CCU) with 8 relays, 2 inputs</li> <li>• Air temperature sensor</li> <li>• Valve housing with threaded inserts</li> <li>• Accessories pack</li> </ul>	
DIMENSIONS	CCU : 375 x 120 x 285 mm - 4.3 Kg VDU : 240 x 260 x 270 mm - 3.2 Kg	
GUARANTEE	24 months	
DISPLAY AND CONTROLS	On the VDU, via web interfaces	
CCU PROTECTION	IP54	
OPERATING TEMPERATURE	-5°C to +45°C	
PH AND ORP SENSORS "FLOATING REFERENCE"	SO4902 for CL injection or brome; SO4903 for Electrolysis	
MEASUREMENT RANGES	Air temperature: -30°C to +65°C Water temperature: 0°C to +60°C Water pressure: -0.9 to 2.5 bar Water level: very high - high - normal - low pH S.U.: 4-12 ORP/Redox: 0 to 999mV Consumables level: normal - low	
PROGRAMMABLE RELAYS	Pump: 1 relay, 0-230Va.c. 6A Regulation pH: 1 relay, 0-230Va.c. 6A Auxiliaries: 6 multifunctional relays, 0-230Va.c. 6A	
PROGRAMMABLE INPUTS	Inputs: 2, potential free, open/closed action	
COMPLIANCE, ACCREDITATION, CERTIFICATION	CE, UKCA, WEEE	
INSTALLATION COMPATIBILITY	New construction, renovation, or upgrade Residential and commercial pools and spas	
COMPATIBLE OPTIONS	<ul style="list-style-type: none"> <li>• Water level kit</li> <li>• Treatment packs</li> <li>• XM8 extension module</li> <li>• Flow meter</li> <li>• Waste backup valve</li> <li>• Flooding detection</li> <li>• Cellular router</li> <li>• IoT Energy meter</li> <li>• Free available chlorine sensor</li> <li>• Third party automatic valves (Besgo)</li> <li>• Variable speed pumps</li> </ul>	



# POOLCOP EVOLUTION Pre-Mounted Panels

## POOLCOP EVOLUTION PANEL with Dosing Pumps

PNE152001-D Panel PoolCop Evolution 1.5" Chlorine

PNE202001-D Panel PoolCop Evolution 2.0" Chlorine

Includes:

- Valve Data Unit VDU with Water Pressure and Temperature Sensors
- Control Communication Unit CCU (230Va.c.) with 8 Relays, 2 Inputs
- Air Temperature Sensor
- Valve Housing, with threaded inserts
- pH+ORP Pt Sensor (chlorine)
- 2 Peristaltic Pump Kits 3 l/hr, and 2 Weighted Level Sensors
- Accessories Pack
- Guarantee: see products in the pack for details
- Eco participation 0.12€



## POOLCOP EVOLUTION PANEL with Electrolysis PoolCop Lagoon

PNE153001-D Panel PoolCop Evolution 1.5" Lagoon

PNE203001-D Panel PoolCop Evolution 2.0" Lagoon

Includes:

- Valve Data Unit VDU with Water Pressure and Temperature Sensors
- Control Communication Unit CCU (230Va.c.) with 8 Relays, 2 Inputs
- Air Temperature Sensor
- Valve Housing, with threaded inserts
- pH+ORP Au Sensor (salt)
- Peristaltic Pump Kit 3 l/hr, and Weighted Level Sensor
- PoolCop Lagoon
- Accessories Pack
- Guarantee: see products in the pack for details
- Eco participation 0.12€



## POOLCOP EVOLUTION PANEL with Electrolysis PoolCop Ocean

PNE153005-D Panel PoolCop Evolution 1.5" Ocean 60

PNE203006-D Panel PoolCop Evolution 2.0" Ocean 120

Includes:

- Valve Data Unit VDU with Water Pressure and Temperature Sensors
- Control Communication Unit CCU (230Va.c.) with 8 Relays, 2 Inputs
- Air Temperature Sensor
- Valve Housing, with threaded inserts
- pH+ORP Au Sensor (salt)
- 1 Peristaltic Pump Kit 3 l/hr, and Suction Wand 50cm with level detection
- PoolCop Ocean Power Pack and Cell (230 Va.c.)
- ModBus Control Cable, and Safety Cable
- Accessories Pack
- Guarantee: see products in the pack for details
- Eco participation 0.12€



# POOLCOP EVOLUTION Packs

## POOLCOP EVOLUTION with Chemical Injection



ESB15CL-D Pack PoolCOP Evolution 1.5" Chlorine

110-230Va.c  
16m³/h

ESB20CL-D Pack PoolCOP Evolution 2.0" Chlorine

110-230Va.c  
30m³/h

Includes:

- Valve Data Unit VDU with Water Pressure and Temperature Sensors
- Control Communication Unit CCU (230Va.c.) with 8 Relays, 2 Inputs
- Air Temperature Sensor
- Valve Housing, with threaded inserts
- pH+ORP Pt Sensor (chlorine)
- 2 Peristaltic Pump Kits 3 l/hr, and 2 Suction Wand Kits 50cm
- Accessories Pack
- Guarantee: see products in the pack for details
- Eco participation 0.12€

## POOLCOP EVOLUTION with Electrolysis



ESB15LN12-D Pack PoolCOP Evolution 1.5" Lagoon 120

110-230Va.c  
16m³/h

ESB20LN12-D Pack PoolCOP Evolution 2.0" Lagoon 120

110-230Va.c  
30m³/h

Includes:

- Valve Data Unit VDU with Water Pressure and Temperature Sensors
- Control Communication Unit CCU (230Va.c.) with 8 Relays, 2 Inputs
- Air Temperature Sensor
- Valve Housing, with threaded inserts
- pH+ORP Au Sensor (salt)
- Peristaltic Pump Kit 3 l/hr, and Suction Wand Kit 50cm
- PoolCOP Lagoon
- Accessories Pack
- Guarantee: see products in the pack for details
- Eco participation 0.12€

## POOLCOP EVOLUTION with Electrolysis + Hydrolysis



ESB15OC06-D Pack PoolCOP Evolution 1.5" Ocean 60

110-230Va.c  
16m³/h

ESB20OC12-D Pack PoolCOP Evolution 2.0" Ocean 120

110-230Va.c  
30m³/h

Includes:

- Valve Data Unit VDU with Water Pressure and Temperature Sensors
- Control Communication Unit CCU (230Va.c.) with 8 Relays, 2 Inputs
- Air Temperature Sensor
- Valve Housing, with threaded inserts
- pH+ORP Au Sensor (salt)
- Peristaltic Pump Kit 3 l/hr, and Suction Wand Kit 50cm
- PoolCOP Ocean
- Accessories Pack
- Guarantee: see products in the pack for details
- Eco participation 0.12€



### Spare Parts for Annual Maintenance

PC1207 Kit Diffuser Replacement 1.5"

PC1208 Kit Diffuser Replacement 2.0"

CO2202 Battery 12V VRLA FR



PC1207 / PC1208



CO2202

# POOLCOP EVOLUTION Modular



ESB15AA-D

**PoolCOP Evolution 1.5"**

110-230Va.c.  
16m³/h

ESB20AA-D

**PoolCOP Evolution 2.0"**

110-230Va.c.  
30m³/h

Includes:

- Valve Data Unit VDU with Water Pressure and Temperature Sensors
- Control Communication Unit CCU (230Va.c.) with 8 Relays, 2 Inputs
- Air Temperature Sensor
- Valve Housing, with threaded inserts
- Accessories Pack
- Guarantee 24 Months
- Eco Participation 0.12€

## Water Level



NI5100



NI4100

NI5100

Water Line or Skimmer Kit

NI4100

Water Level Kit for Buffer Tank

## Sensor Kits



SO4902

pH+ORP Pt Sensor Kit PoolCOP Evolution

Chlorine

SO4903

pH+ORP Au Sensor Kit PoolCOP Evolution

Salt

## Water Treatment



OC0060



LN4000

OC0060

PoolCOP Ocean 60

OC0120

PoolCOP Ocean 120

OC0200

PoolCOP Ocean 200

OC1002

PoolCOP Ocean Conductivity Sensor Kit

LN4000

PoolCOP Lagoon 120

GN4204

Flow Switch Kit



PD2030



PD2009

PD2030

Peristaltic Pump Kit 3.0L/h

PD2010

Suction Wand 50cm with level detection

PD2011

Suction Wand 80cm with level detection

PD2009

Level Sensor - Weighted

## Additional Options



AC6800-D



AC5405

AC6800-D

PoolCOP XM8 Extension Module

AC5405

FlowVis® Flow Meter Kit 2.0"

VN3004

Waste Backup Valve Kit

AC1015

Flooding Sensor Kit

PI5100-D

Cellular Routeur Module EU

AC5610

Energy Meter IoT Monophase

AC5620

Energy Meter IoT Multiphase

AC5302

Free Available Chlorine Sensor Installation Pack EU

AC5305

Free Available Chlorine Proximity Sensor



VN3004



PI5100-D

# FILTER CONNECTION KITS for PoolCop Evolution

Simplify fitting PoolCop Evolution to any side mounted filter with these Connection Kits

## For PoolCop Evolution 1.5" (50mm)

CK1501	Filter Connection Kit Hayward 1.5"
CK1503	Filter Connection Kit Astral, Espa, MMC, Certikin, PPG Poltank, Zodiac, SNTE & Jupiter >2007 1.5"
CK1504	Filter Connection Kit Kripsol, SuperPool LKR, Hayward ProSeries HLTL <12/2018 1.5"
CK1505	Filter Connection Kit Europa Evo, Platinum 1.5"
CK1506	Filter Connection Kit Aqualux L1.5"
CK1507	Filter Connection Kit Aqualux C1.5"
CK1508	Filter Connection Kit Waterco Lacron 16" <2004 1.5"
CK1509	Filter Connection Kit Waterco Lacron <2004 1.5"
CK1510	Filter Connection Kit Pentair SR 1.5"
CK1512	Filter Connection Kit SuperPool, Emaux, VIPool, ACIS 1.5"
CK1514	Filter Connection Kit SNTE Jupiter <2007, Titan <2007 1.5"
CK1516	Filter Connection Kit Python, RTM 1.5"
CK1517	Filter Connection Kit Calplas 1.5"
CK1518	Filter Connection Kit Waterco 1.5" Lacron >2004, Micron, CBI 1.5"
CK1519	Filter Connection Kit Hayward FG, Pomaz Aqua Easy 1.5"
CK1521	Filter Connection Kit SF 1.5"
CK1522	Filter Connection Kit Hayward HL, HLBTL, HLTL >12/2018 1.5"
CK1524	Filter Connection Kit AQUA Aquarius, Pentair Poseidon & Triton Lite 1.5"
CK1525	Filter Connection Kit Vitalia 1.5"
CK1526	Filter Connection Kit BEHNCKE 1.5"

## For PoolCop Evolution 2.0" (63mm)

CK2001	Filter Connection Kit Hayward 2.0"
CK2003	Filter Connection Kit Astral, Espa, MMC, Certikin, SNTE & Jupiter >2007 2.0"
CK2004	Filter Connection Kit Kripsol, SuperPool LKR, Hayward ProSeries HL, HLTL, HLBTL 2.0"
CK2005	Filter Connection Kit Europa Evo, Platinum 2.0"
CK2006	Filter Connection Kit Aqualux L2.0"
CK2007	Filter Connection Kit Aqualux C2.0"
CK2009	Filter Connection Kit Waterco Micron 2.0"
CK2010	Filter Connection Kit Pentair SR 2.0"
CK2012	Filter Connection Kit SuperPool, Emaux, VIPool, ACIS, Vitalia 2.0"
CK2014	Filter Connection Kit SNTE Jupiter <2007, Titan <2007 2.0"
CK2016	Filter Connection Kit Python, RTM 2.0"
CK2017	Filter Connection Kit Calplas 2.0"
CK2018	Filter Connection Kit Waterco Lacron CBI, PPG Deluxe 2.0"
CK2019	Filter Connection Kit Hayward FG, Pomaz Aqua Easy 2.0"
CK2023	Filter Connection Kit Waterline Capri 2.0"
CK2024	Filter Connection AQUA Aquarius, Pentair Poseidon & Triton Lite 2.0"
CK2026	Filter Connection Kit BEHNCKE 2.0"

# POOLCOP OPTIONS

Full product details and kit contents for our range of options



WATER LEVEL KITS ..... Page 24

SENSOR KITS ..... Page 24

## TREATMENT EQUIPMENT

PoolCop Ocean ..... Page 25

Conductivity Sensor ..... Page 25

PoolCop Lagoon ..... Page 26

Flow Switch ..... Page 26

Chemical Injection Pumps ..... Page 26

Chemical Low Level Sensors ..... Page 27

## ADDITIONAL OPTIONS

XM8 ..... Page 27

Besgo Automatic Valves ..... Page 28

Digital Flow Meter ..... Page 29

Waste Backup Valve ..... Page 29

Flooding Detection ..... Page 30

Cellular Router ..... Page 30

Energy Meter IoT ..... Page 30

Free Available Chlorine Sensor ..... Page 31


Proximity Sensor ..... Page 31




## WATER LEVEL KITS

Our water level kits, for either classic or overflow pools, are equipped with 4 sensors (very high, high, normal, low) to send accurate water level measurements directly to the PoolCop unit. The readings and analysis from the sensors allow PoolCop to respond in multiple ways; leak detection, weather dependent refilling, intelligent use of surplus water for backwashing (PoolCop Evolution or PoolCop Genesis equipped with an automatic valve) etc.

### Water Line or Skimmer (classic pools)

	NI5100	<b>Water Level Kit for Water Line or Skimmer</b>
	Includes:	<ul style="list-style-type: none"><li>• Level Sensor (4 fixed levels with 20m cable)</li><li>• Solenoid Valve (24Va.c.)</li><li>• Non-return Valve, Stop Valve 1/4 Turn, Connector Kit</li><li>• 2 Saddle Clamps (D50mm and D63mm)</li><li>• Guarantee 24 months</li><li>• Eco participation 0.42€</li></ul>
	Compatibility	PoolCop Evolution - PoolCop Genesis

### Buffer Tank (overflow pools)

	NI4100	<b>Water Level Kit for Buffer Tank</b>
	Includes:	<ul style="list-style-type: none"><li>• 4 Buffer Tank Level Sensors (Stainless Steel with 6m cable)</li><li>• Solenoid Valve (24Va.c.)</li><li>• Non-return Valve, Stop Valve 1/4 Turn, Connector Kit</li><li>• 2 Saddle Clamps (D50mm and D63mm)</li><li>• Guarantee 24 months</li><li>• Eco participation 0.42€</li></ul>
	Compatibility	PoolCop Evolution - PoolCop Genesis

## SENSOR KITS FOR pH + ORP

These unique 2-in-1 sensors integrate both pH and ORP measurements, and include a floating reference to ensure the readings are accurate and reliable, without impact from electrical charges in the sampled water, and a longer life span of the sensor. Each sensor is simply installed directly in the Evolution valve or the Genesis flow cell.

### pH+ORP Sensors for PoolCop Evolution

	SO4902	<b>pH+ORP Pt Sensor Kit PoolCop Evolution *</b>	Chlorine
	SO4903	<b>pH+ORP Au Sensor Kit PoolCop Evolution</b>	Salt
	<i>* Use this sensor for chlorine, bromine etc.</i>		
	Includes:	<ul style="list-style-type: none"><li>• Floating Reference Technology Sensor with 30cm cable</li><li>• Sensor Nut, Grip Washer, Compression Rings, Sensor O-Ring</li><li>• Guarantee 24 months</li><li>• Eco participation 0.12€</li></ul>	
	Compatibility	PoolCop Evolution ONLY	

## pH+ORP Sensors PoolCop Genesis



SO4912	<b>pH+ORP Pt Sensor Kit PoolCop Genesis *</b>	Chlorine
SO4913	<b>pH+ORP Au Sensor Kit PoolCop Genesis</b>	Salt

\* Use this sensor for chlorine, bromine, etc.

Includes:

- Floating Reference Technology Sensor with 4m cable
- Sensor Nut, Grip Washer, Compression Rings, Sensor O-Ring
- Guarantee 24 months
- Eco participation 0.12€

Compatibility      PoolCop Genesis ONLY

## TREATMENT EQUIPMENT

### PoolCop Ocean

PoolCop Ocean, our high end salt chlorinator with Sugar Valley technology, is the solution for advanced oxidation to ensure perfect water quality with salt concentrations as low as 0.5 grams per liter and as high as sea water.

Connecting this to a PoolCop unit with integrated Modbus Technology, assures accurate and dependable disinfection, taking into account temperature, cover position, pump speed, pH, etc. and is controlled remotely via the dedicated interface.



OC0060	<b>PoolCop Ocean 60</b>	15 g/h - 60 m <sup>3</sup>
OC0120	<b>PoolCop Ocean 120</b>	30g/h - 120 m <sup>3</sup>
OC0200	<b>PoolCop Ocean 200</b>	45g/h - 200m <sup>3</sup>

Includes:

- PoolCop Ocean Power Pack (230Va.c.)
- PoolCop Ocean Cell and Cell Holder
- ModBus Control Cable, and Safety Cable
- Guarantee Power Pack - 24 months
- Guarantee Cell - 8000 hours
- Eco participation 0.42€

Compatibility      PoolCop Evolution - PoolCop Genesis

### Conductivity Sensor Kit

The Conductivity Sensor allows instant visibility of the salt concentration via the PoolCop interface.



OC1002	<b>PoolCop Ocean Conductivity Sensor Kit</b>	0-10 g/l
--------	--	----------

Includes:

- Conductivity Sensor
- PCB Electronic Board
- Conductivity Sensor Housing
- Sensor Adapter
- 3 Sampling Bottles
- Guarantee Sensor - 6 months
- Eco participation 0.12€

# TREATMENT EQUIPMENT

## PoolCop Lagoon

PoolCop Lagoon combines simplicity, durability and practicality, using Smart Power technology.

Compact in size, it can be installed in any pump house, and needs no adjustments or complicated programming. PoolCop Lagoon manages salt levels from 2.5 to 10 grams per liter, for pools up to 120 m<sup>3</sup>, and the intelligent control system, combined with the cell's 10,000 hour lifespan and polarity-reversal cleaning system, guarantees unrivalled resilience at a highly competitive price.



LN4000

### PoolCop Lagoon 120

Includes:

- PoolCop Lagoon Power Pack with Mounting Bracket
- PoolCop Lagoon Cell with Cable, Collars and 2 Reductions 63/50 mm
- Online User Manual
- Guarantee Power Pack & Cell - 24 months
- Eco participation 0.42€

Compatibility

PoolCop Evolution - PoolCop Genesis

## Flow Detection

This simple flow detector informs the PoolCop unit of flow or no-flow in the pipeline to protect the pump from dry running.



GN4204

### Flow Switch Kit

Includes:

- Flow Switch with 4m Cable
- 3/4" Male-Male Adapter
- Guarantee - 24 months
- Eco participation 0.42€

Compatibility

PoolCop Evolution - PoolCop Genesis

## Dosing Pumps

This high quality injection pump ensures precise chemical handling with zero contamination, thanks to three rollers to prevent siphoning, overdosing and loss of priming, and a Santoprene tubing ideal for dispensing pH or chlorine products.



PD2030

### Peristaltic Pump Kit 3.0L/h

Includes:

- Peristaltic Pump 230Va.c. with ON/OFF Switch and 2.5 m Cable
- Wall Mount with Stirrup, 2 Screws and Wall Plugs
- Foot Filter
- Suction/Injection Tube (4m)
- Injection Valve
- 2 Saddle Clamps (D50mm and D63mm)
- Guarantee Avady - 24 months
- Eco participation 0.42€

Compatibility

PoolCop Evolution - PoolCop Genesis

## Drum Level Sensors

The drum level sensors are used for precise monitoring and to alert when the level is low to empty, ensuring correct disinfection at all times and consistent water quality.

The suction wand is used for 20 litre drums and the weighted sensor caters for all drum and tank volumes.

### Drum Level Sensor with Suction Wand



PD2010	<b>Suction Wand 50cm with level detection</b>	50cm
PD2011	<b>Suction Wand 80cm with level detection</b>	80cm
Includes:		
<ul style="list-style-type: none"><li>• Suction Wand with Non-Return Valve and Float Level Sensor</li><li>• Suction Tube (4m)</li><li>• Guarantee Avady - 24 months</li><li>• Eco participation 0.12€</li></ul>		
Compatibility	PoolCop Evolution - PoolCop Genesis	

### Drum Level Sensor - Weighted



PD2009	<b>Level Sensor, Weighted</b>
Includes:	
<ul style="list-style-type: none"><li>• Float Level Sensor for Chemical Low Level Detection</li><li>• 4m Cable</li><li>• Guarantee Avady - 24 months</li><li>• Eco participation 0.12€</li></ul>	
Compatibility	PoolCop Evolution - PoolCop Genesis

## ADDITIONAL OPTIONS

### Extension Module

More automated pool control means less pool hassle. The PoolCop XM8 increases the number of relays and inputs, allowing additional equipment to be managed directly by the PoolCop.

It is automatically detected, needing no complicated configuration, and relays the information of all additional features to the PoolCop interface.



AC6800-D	<b>PoolCop XM8 Extension Module</b>
Includes:	
<ul style="list-style-type: none"><li>• XM8 Module with Cable</li><li>• 8 Additional Relays/Inputs</li><li>• Guarantee - 24 months</li><li>• Eco participation 0.12€</li></ul>	
Compatibility	PoolCop Evolution - PoolCop Genesis

# ADDITIONAL OPTIONS

## Automatic Pneumatic Valves

Besgo valves are built using the highest quality components available, and are easy to control allowing safe automated filtration, backwashes, water attractions and more.

With a lower pressure drop than traditional 6-way valves the Besgo 5-way valve can be fitted directly on the filter or wall mounted with 90° rotating connections. The valve returns automatically to 'Filtration Mode' in the case of electrical failures, and the filtration pump does not need to be stopped during the switchover. The valve works automatically and is operated by either water or air pressure via connection to the water network or a small air compressor.

The addition of a Besgo 3-way valve to a Besgo 5-way valve ensures backwashing is completed with totally automated filter rinsing. The valve also provides higher pressure for optimal backwash velocity directly from the main drain, using the cleanest water from your pool.

The 3-way valve can also be installed with a PoolCop Evolution for additional suction to the backwash via Evolution's automatic valve.



### BESGO 5-WAY VALVES

AC2100	Besgo Backwash Valve DN50/D63mm - 140mm	230 V
AC2101	Besgo Backwash Valve DN50/D63mm - 152mm	230 V
AC2102	Besgo Backwash Valve DN50/D63mm - 190mm	230 V
AC2103	Besgo Backwash Valve DN50/D63mm - 215mm	230 V
AC2104	Besgo Backwash Valve DN50/D63mm - 220mm	230 V
AC2105	Besgo Backwash Valve DN50/D63mm - 230mm	230 V

### BESGO 3-WAY VALVE

AC2106	3-Way Besgo Aspiration Valve DN50/D63mm	230 V
--------	---	-------



AC2107

### ACCESSORIES

AC2107	Compresseur Einhell, 0,5 kW, 230 V	230 V
AC2108	Connection Kit for Compressor 1/4"IG : 1 Besgo Valve	
AC2109	Connection Kit for Compressor 1/4"IG : 2 Besgo Valves	
AC2110	Connection Kit for Compressor 1/4"IG : 3 Besgo Valves	



AC2109

Compatibility	PoolCop Evolution - PoolCop Genesis
---------------	-------------------------------------

[For additional models please contact us.](#)



# Digital Flow Meter

The Digital FlowVis® Kit is designed to provide real-time water flow rate readings remotely on any connected device, and incorporates a range of features and functions.

Minimum and maximum flow alarms can be set from the configuration tab in the PoolCop interface, to ensure that each system operates as required, with exceptional accuracy of over 98%.

The digital flow meter is compatible with the entire FlowVis® range (from 1.5" to 8")\*, is easy to install and requires no calibration.

*\*Contact us to check the compatibility of your FlowVis®*



AC5400      **Digital FlowVis® Kit**

- Includes:
- Digital Sensor compatible with FlowVis 2.0"
  - 8m Cable
  - 2 Extended Length Screws
  - Guarantee - 24 months
  - Eco participation 0.12€

Compatibility      PoolCop Evolution - PoolCop Genesis



AC5405      **FlowVis® Flow Meter Kit 2.0"**

- Includes:
- FlowVis® Flow Meter 2.0"
  - FlowVis® Digital Sensor
  - 8m Cable
  - 2 Extended Length Screws
  - Pipe Reduction PVC MF63x50
  - Guarantee - 24 months
  - Eco participation 0.12€

[For additional pipe sizes please contact us.](#)

# Waste Backup Valve

This waste backup valve secures installations from unnecessary water loss, notably buffer tank pools or low level pump houses, with pumps installed below water level.



VN3004      **Waste Backup Valve Kit**      NF 24Va.c.

- Includes:
- Valve NC (Normally CLOSED), Solenoid (24Va.c.)
  - Discharge Vinyl Tubing (3 meters)
  - 2 PVC Union Set with D63mm to D50mm Adapter
  - 2 Saddle Clamps (D50mm and D63mm)
  - Guarantee - 24 months
  - Eco participation 0.42€

Compatibility      PoolCop Evolution - PoolCop Genesis

## Flooding Detection

Simple, effective and robust, the flooding detector is used for all underground equipment rooms or areas with high flooding risk. It simply plugs into any PoolCop Evolution, PoolCop Genesis or PoolCop XM8, requiring no additional installation or configuration.

PoolCop immediately alerts as soon as there is more than one centimetre of water in the area to be protected, allowing for quick intervention to avoid electrical risks or equipment damage.



AC1015

### Flooding Sensor Kit

Includes:

- Flooding Sensor with 4m Cable
- PVC Cross Base
- Guarantee - 24 months
- Eco participation 0.12€

Compatibility

PoolCop Evolution - PoolCop Genesis

## Cellular Router

This industrial router ensures remote monitoring and real-time visibility to a pool 24/7/365 by providing direct high speed connection to the PoolCop Cloud and a faster response for data and control.



PI5100-D

### Cellular Router Module EU

5-36 VDC

Includes:

- Cellular router, with 230 Va.c. Power Supply
- External High Gain Antenna
- RJ45 Cable (1m)
- Guarantee - 24 months
- Eco participation 0.08€

Compatibility

PoolCop Evolution - PoolCop Genesis

PI4180

### M2M Data plan 7 GB (net price)

(approx. 12 months of standard use)

## Energy Meter IoT

The energy meter precisely measures power consumption of all connected equipment, and relays the data to the PoolCop Cloud and BigPool database for storage, analysis and display.

The data provides immediate visibility to poor functioning or damaged equipment, allowing for prompt intervention, and is a means to monitor actual electrical consumption to intelligently optimize your energy use.



AC5610

### Energy Meter IoT Monophase

100A

AC5620

### Energy Meter IoT Multiphase

65A

Includes:

- Energy Meter DIN Mount, Modbus
- 4m Cable
- Guarantee - 24 months
- Eco participation 0.12€

Compatibility

PoolCop Evolution - PoolCop Genesis

## Free Available Chlorine Sensor in PPM

For perfect disinfection and a regulation compliant pool, this professional grade sensor measures free available chlorine in the water (including chlorine bound in stabilizers), in parts per million, equivalent to DPD1 as measured by health authorities.

Suited to public pools and commercial aquatic venues, as well as residential pools.



AC5302

### Free Available Chlorine Sensor Installation Pack EU

DPD1

Includes:

- Free Available Chlorine Sensor (Maintenance Kit Included)
- Chlorine Sensor Cable, and PoolCop Modbus Adapter
- Chlorine Sensor Panel
- 2 x Isolation Valves, and 6m of 3/8" tubing
- Guarantee Sensor & Cable - 12 months
- Guarantee Flow Cell Panel - 24 months
- Eco participation 0.12€

Compatibility

PoolCop Evolution - PoolCop Genesis

## Proximity Sensor

This sensor is installed in the Free Available Chlorine flow cell to ensure there is sufficient flow for an accurate chlorine measurement.



AC5305

### Free Available Chlorine Proximity Sensor

Includes:

- Proximity Sensor with 2m Cable
- Guarantee - 24 months
- Eco participation 0.12€

Compatibility

PoolCop Evolution - PoolCop Genesis

## ECO-PARTICIPATION, WEEE


Certain products are subject to "Eco-participation" in France, which contributes to the financing of the collection and the recycling of former equivalent products (directive 2006/96/CE). Our partner for the collection and recycling of eligible products is Eco-systèmes.

Following decree No. 2009-1139 dated 22 September 2009, with regards to placing dry cell batteries and storage batteries on the market, as well as the elimination of used dry cell batteries and storage batteries, PCFR has partnered with an organization dedicated to the recycling of dry cell batteries and portable storage batteries. Our partner is SCRELEC Environnement.



# NOTES

# DIGITAL RESSOURCES



## WWW.POOLCOP.COM

Our website is a direct source of information for pool owners and professionals alike.

Professionals have a dedicated space to access all technical documents, find quick answers to simple questions, sign up for training sessions, and request to become installers.



## DOWNLOADS

Quick and simple access to all instruction manuals, exploded parts and technical sheets are available via this QR code, or in the Pool Professionals page on the website.

# GENERAL INFORMATION

## DELIVERY CONDITIONS AND CHARGES

*These are standard conditions for retail purchases. For distributors, refer to your conditions.*

Prices do not include delivery charges, which are invoiced separately as follows:

- For all orders within the European Union exceeding a value of 750 € (excluding value added tax), delivery is included free of charge.
- For all orders within European Union with a net value below 750 € (excluding value added tax), the actual delivery cost applies.
- For delivery outside of European Union and/or express deliveries, the fees will be indicated on the quote.

## GENERAL TERMS AND CONDITIONS OF SALE



[poolcop.com/general-conditions-of-sale/](http://poolcop.com/general-conditions-of-sale/)



[www.poolcop.com](http://www.poolcop.com)

[contact@poolcop.com](mailto:contact@poolcop.com) - +33 (4) 90 09 54 26

**PCFR** PoolCop

PCFR  
130 Boulevard du Nord  
84160 CUCURON, France